

## **Certification Practice Statement (CPS)**

## **ZOVAR**

Version 6.0

Date 28-09-2021 Status Final (ZV23.02)

## Colophon

Organisation CIBG

Visiting address: Rijnstraat 50

2515 XP The Hague

Service desk PO Box 16114

2500 XP The Hague T 070 340 60 20 info@zovar.nl

Version 6.0 Number of pages 68

## Contents

Colophon—1
Revision history—8

| 1.    | Introduction-10  |
|-------|--|
| 1.1   | Overview—10  |
| 1.1.1 | Ca model—11  |
| 1.2   | Document name and identification—11                              |
| 1.2.1 | Purpose of the CPS—11  |
| 1.2.2 | Relationship CP and CPS—11                                       |
| 1.2.3 | Name and references—11   |
| 1.3   | PKI Participants—12  |
| 1.3.1 | Certification Authorities (CA)—12                                |
| 1.3.2 | Registration Authorities (RA)—12                                 |
| 1.3.3 | Subscribers—12   |
| 1.3.4 | Relying parties—13   |
| 1.3.5 | Other participants—13  |
| 1.4   | Certificate usage—13   |
| 1.4.1 | Appropriate certificate uses—13                                  |
| 1.4.2 | Prohibited certificate uses—13                                   |
| 1.5   | Policy Administration—14   |
| 1.5.1 | Organization administering the document—14                       |
| 1.5.2 | Contact person—14  |
| 1.5.3 | Person determining CPS suitability for the policy—14             |
| 1.5.4 | CPS approval procedures—14                                       |
| 1.6   | Definitions and Acronyms—14                                      |
| 2.    | Publication and repository responsibilities —15                  |
| 2.1   | Repositories—15  |
| 2.2   | Publication of certification information—15                      |
| 2.3   | Time or frequency of publication—15                              |
| 2.4   | Access controls on repositories—15                               |
| 3.    | Identification and authentication—16                             |
| 3.1   | Naming-16  |
| 3.1.1 | Types of names—16  |
| 3.1.2 | Need for names to be meaningful—16                               |
| 3.1.3 | Anonymity or pseudonymity of subscribers—16                      |
| 3.1.4 | Rules for interpreting various name forms—16                     |
| 3.1.5 | Uniqueness of names—16   |
| 3.1.6 | Recognition, authentication, and role of trademarks—17           |
| 3.2   | Initial identity validation—17                                   |
| 3.2.1 | Method to proof possession of private key—17                     |
| 3.2.2 | Authentication of organization identity—17                       |
| 3.2.3 | Authentication of individual identity—18                         |
| 3.2.4 | Non-verified subscriber information—19                           |
| 3.2.5 | Validation of authority—19                                       |
| 3.2.6 | Criteria for interoperation—19                                   |
| 3.3   | Identification and authentication for re-key requests—19         |
| 3.3.1 | Identification and authentication for routine re-key—19          |
| 3.3.2 | Identification and authentication for re-key after revocation—19 |

| 3.4            | Identification and authentication for revocation request—20                                     |
|----------------|---|
| 4.             | Certificate life-cycle operational requirements—21  |
| 4.1            | Certificate application—21  |
| 4.1.1          | Who can submit a certificate application—21   |
| 4.1.2          | Enrollment process and responsibilities—21  |
| 4.2            | Certificate application processing—21   |
| 4.2.1          | Performing identification and authentication functions—21                                       |
| 4.2.2          | Approval or rejection of certificate applications—21  |
| 4.2.3          | Time to process certificate applications—22   |
| 4.3            | Certificate Issuance—22   |
| 4.3.1          | CA actions during certificate issuance—22   |
| 4.3.2          | Notification to subscriber by the CA of issuance of certificate—22                              |
| 4.4            | Certificate acceptance — 23   |
| 4.4.1          | Conduct constituting certificate acceptance—23  |
| 4.4.2          | Publication of the certificate by the CA—23   |
| 4.4.3          | Notification of certificate issuance by the CA to other entities—23                             |
| 4.5            | Key pair and certificate usage—23   |
| 4.5.1          | Subscriber private key and certificate usage—23   |
| 4.5.2          | Relying party public key and certificate usage —24  |
| 4.6            | Certificate Renewal—24  |
| 4.6.1          | Circumstance for certificate renewal—25   |
| 4.6.2          | Who may request renewal—25  |
| 4.6.3          | Processing certificate renewal requests—25  |
| 4.6.4          | Notification of new certificate issuance to subscriber—25                                       |
| 4.6.5          | Conduct constituting acceptance of a renewal certificate—25                                     |
| 4.6.6          | Publication of the renewal certificate by the CA—25   |
| 4.6.7          | Notification of certificate issuance by the CA to other entities—25                             |
| 4.7            | Certificate Re-Key—25   |
| 4.7.1          | Circumstance for certificate re-key—25  |
| 4.7.2          | Who may request certification of a new public key—25  |
| 4.7.3          | Processing certificate re-keying requests—25  |
| 4.7.4          | Notification of new certificate issuance to subscriber—25                                       |
| 4.7.5          | Conduct constituting acceptance of a re-keyed certificate—25                                    |
| 4.7.6          | Publication of the re-keyed certificate by the CA—25  |
| 4.7.7          | Notification of certificate issuance by the CA to other entities—25                             |
| 4.8            | Certificate Modification—25   |
| 4.8.1          | Circumstance for certificate modification—25  |
| 4.8.2          | Who may request certificate modification—26   |
| 4.8.3          | Processing certificate modification requests—26   |
| 4.8.4          | Notification of new certificate issuance to subscriber—26                                       |
| 4.8.5          | Conduct constituting acceptance of modified certificate —26                                     |
| 4.8.6          | Publication of the modified certificate by the CA—26  |
| 4.8.7          | Notification of certificate issuance by the CA to other Entities—26                             |
| 4.9            | Certificate revocation and suspension—26  |
| 4.9.1          | Circumstances for revocation—26   |
| 4.9.2<br>4.9.3 | Who can request revocation—27 Procedure for revocation request—27                               |
| 4.9.3          |   |
| 4.9.4          | Revocation request grace period—28  Time within which CA must process the revocation request—28 |
| 4.9.5          | Revocation checking requirement for relying parties—28  |
| 4.9.6          | CRL issue frequency—28  |
| 4.9.7          | Maximum latency for CRLs—29   |
| 4.9.9          | On-line revocation/status checking availability —29   |
|                | on the revocation/status effecting availability 25  |

| 4.9.10<br>4.9.11<br>4.9.12<br>4.9.13<br>4.9.14<br>4.9.15<br>4.9.16<br>4.10<br>4.10.1<br>4.10.2<br>4.10.3<br>4.11<br>4.12<br>4.12.1<br>4.12.2 | On-line revocation checking requirements—29 Other forms of revocation advertisements available—29 Special requirements re key compromise—29 Circumstances for suspension—30 Who can request suspension—30 Procedure for suspension request—30 Limits on suspension period—30 Certificate Status Services—30 Operational characteristics—30 Service availability—30 Optional features—30 End of Subscription—30 Key escrow and recovery—31 Key escrow and recovery policy and practices—31 Session key encapsulation and recovery policy and practices—31 |
|--|--|
| 5.   | Facility, Management, and Operational Controls—32  |
| 5.1  | Physical Controls—32   |
| 5.1.1  | Site location and construction—32  |
| 5.1.2  | Physical access—32   |
| 5.1.3  | Power and air conditioning—32  |
| 5.1.4  | Water exposures—32   |
| 5.1.5  | Fire prevention and protection—32  |
| 5.1.6  | Media storage—33   |
| 5.1.7  | Waste disposal—33  |
| 5.1.8  | Off-site backup—33   |
| 5.2  | Procedural Controls—33   |
| 5.2.1  | Trusted roles—33   |
| 5.2.2  | Number of persons required per task—33   |
| 5.2.3  | Identification and authentication for each role—33   |
| 5.2.4  | Roles requiring separation of duties—33  |
| 5.3  | Personnel Controls—34  |
| 5.3.1  | Qualifications, experience, and clearance requirements—34  |
| 5.3.2  | Background check procedures—34   |
| 5.3.3  | Training requirements—34   |
| 5.3.4  | Retraining frequency and requirements—34   |
| 5.3.5  | Job rotation frequency and sequence—34   |
| 5.3.6  | Sanctions for unauthorized actions—34  |
| 5.3.7  | Independent contractor requirements—34   |
| 5.3.8  | Documentation supplied to personnel—34   |
| 5.4  | Audit Logging Procedures—34  |
| 5.4.1  | Types of events recorded—34  |
| 5.4.2  | Frequency of processing log—35   |
| 5.4.3  | Retention period for audit log—35  |
| 5.4.4  | Protection of audit log—35   |
| 5.4.5  | Audit log backup procedures—35   |
| 5.4.6  | Audit collection system (internal vs. external)—35   |
| 5.4.7  | Notification to event-causing subject—35   |
| 5.4.8  | Vulnerability assessments—36   |
| 5.5  | Records Archival—36  |
| 5.5.1  | Types of records archived—36   |
| 5.5.2  | Retention period for archive—36  |
| 5.5.3  | Protection of Archive—36   |
| 5.5.4  | Archiving backup procedures—36   |

| 5.5.5<br>5.5.6<br>5.5.7<br>5.6<br>5.7<br>5.7.1<br>5.7.2<br>5.7.3<br>5.7.4<br>5.8 | Requirements for time-stamping of records—36 Archived collection system (internal or external)—37 Procedures to obtain and verify archive information—37 Key Changeover—38 Compromise and Disaster Recovery—38 Incident and compromise handling procedures—38 Computing resources, software, and/or data are corrupted—38 Entity private key compromise procedures—38 Business continuity capabilities after a disaster—38 CA or RA Termination—38 |
|--|--|
| 6.   | Technical security controls—40   |
| 6.1  | Key pair generation and installation—40  |
| 6.1.1  | Key pair generation—40   |
| 6.1.2  | Private key delivery to subscriber—40  |
| 6.1.3  | Public key delivery to certificate issuer—40   |
| 6.1.4  | CA public key delivery to relying parties—40   |
| 6.1.5  | Key sizes—40   |
| 6.1.6  | Public key parameters generation and quality checking—40   |
| 6.1.7  | Key usage purposes (as per X.509 v3 key usage field)—40  |
| 6.2  | Private key protection and cryptographic module engineering controls—41  |
| 6.2.1  | Cryptographic module standard and controls—41  |
| 6.2.2  | Private key (n out of m) multi-person control—41   |
| 6.2.3  | Private key escrow—41  |
| 6.2.4  | Private key backup—41  |
| 6.2.5  | Private key archival—41  |
| 6.2.6  | Private key transfer into or from a cryptographic module—41  |
| 6.2.7  | Private key storage on cryptographic module—41   |
| 6.2.8<br>6.2.9   | Method of activating private key—41 Method of deactivating private key—41  |
| 6.2.10   | Method of destroying private key—41  |
| 6.2.11   | Cryptographic Module Rating—41   |
| 6.3  | Other aspects of key pair management—42  |
| 6.3.1  | Public key archival—42   |
| 6.3.2  | Certificate operational periods and key pair usage periods—42  |
| 6.4  | Activation data—42   |
| 6.4.1  | Activation data generation and installation—42   |
| 6.4.2  | Activation data protection—42  |
| 6.4.3  | Other aspects of activation data—42  |
| 6.5  | Computer Security Controls—42  |
| 6.5.1  | Specific computer security technical requirements—42   |
| 6.5.2  | Computer security rating—42  |
| 6.6  | Life cycle technical controls—42   |
| 6.6.1<br>6.6.2   | System development controls—43 Security management controls—43   |
| 6.6.3  | Life cycle security controls—43  |
| 6.7  | Network security controls—43   |
| 6.8  | Timestamping—43  |
| 7.   | Certificate, CRL and OCSP profiles—44  |
| 7.1  | Certificate profile—44   |
| 7.1.1  | Version number(s)—44   |
| 7.1.2  | Certificate Extensions—44  |
| 7.1.3  | Cryptographic algorithm object identifiers—46  |

| 7.1.4  | Name forms—46   |
|--------|---|
| 7.1.5  | Name constraints—47   |
| 7.1.6  | Certificate policy object identifier—47                                 |
| 7.1.7  | Usage of Policy Constraints extension—47                                |
| 7.1.8  | Policy qualifiers syntax and semantics—47                               |
| 7.1.9  | Processing semantics for the critical Certificate Policies Extension—47 |
| 7.2    | CRL profile—47  |
| 7.2.1  | Version number(s)—47  |
| 7.2.2  | CRL and CRL entry extensions—47   |
| 7.3    | OCSP profile—48   |
| 7.3.1  | Version number(s)—48  |
| 7.3.2  | OCSP extensions—48  |
|        |   |
| 8.     | Compliance audit and other assessments -50                              |
| 8.1    | Frequency or circumstances of assessment—50                             |
| 8.2    | Identity/qualifications of assessor—50                                  |
| 8.3    | Assessor's relationship to assessed entity—50                           |
| 8.4    | Topics covered by assessment—50   |
| 8.5    | Actions taken as a result of deficiency—51                              |
| 8.6    | Communication of results—51   |
|        |   |
| 9.     | Other business and legal matters—52                                     |
| 9.1    | Fees-52   |
| 9.1.1  | Certificate issuance or renewal fees—52                                 |
| 9.1.2  | Certificate access fees—52  |
| 9.1.3  | Revocation or status information access fees — 52                       |
| 9.1.4  | Fees for other services—52  |
| 9.1.5  | Refund Policy—52  |
| 9.1.6  | Rate changes—52   |
| 9.1.7  | Invoicing and payment—52  |
| 9.1.8  | Payment term—53   |
| 9.1.9  | Validity of ZOVAR server certificate—53                                 |
| 9.1.10 | Delivery and initial usage of ZOVAR server certificate —53              |
| 9.1.11 | Replacement conditions—53   |
| 9.1.12 | Risk, ownership and duty of care—53                                     |
| 9.2    | Financial Responsibility —53  |
| 9.2.1  | Insurance coverage—53   |
| 9.2.2  | Other assets—53   |
| 9.2.3  | Insurance or warranty coverage for end-entities—53                      |
| 9.3    | Confidentiality of Business Information—53                              |
| 9.3.1  | Scope of confidential information—54                                    |
| 9.3.2  | Information not within the scope of confidential information—54         |
| 9.3.3  | Responsibility to protect confidential information—54                   |
| 9.4    | Privacy of Personal Information—54                                      |
| 9.4.1  | Privacy plan—54   |
| 9.4.2  | Information treated as private—54                                       |
| 9.4.3  | Information not deemed private—54                                       |
| 9.4.4  | Responsibility to protect private information—55                        |
| 9.4.5  | Notice and consent to use private information—55                        |
| 9.4.6  | Disclosure pursuant to judicial or administrative process —55           |
| 9.4.7  | Other information disclosure circumstances—55                           |
| 9.5    | Intellectual Property rights—55   |
| 9.6    | Representations and Warranties—55                                       |
| 9.6.1  | CA representations and warranties—55                                    |

RA representations and warranties—56

9.6.2

| 9.6.3    | Subscriber representations and warranties—56                         |    |
|----------|--|----|
| 9.6.4    | Relying party representations and warranties—57                      |    |
| 9.6.5    | Representations and warranties of other participants—58              |    |
| 9.7      | Disclaimers of Warranties.—58  |    |
| 9.8      | Limitations of liability—58  |    |
| 9.9      | Indemnities—59   |    |
| 9.10     | Term and Termination—59  |    |
| 9.10.1   | Term—59  |    |
| 9.10.2   | Termination—59   |    |
| 9.10.3   | Effect of termination and survival—59                                |    |
| 9.11     | Individual Notices and Communications with Participants—59           |    |
| 9.12     | Amendments—59  |    |
| 9.12.1   | Procedure for Amendment—59   |    |
| 9.12.2   | Notification mechanism and period—59                                 |    |
| 9.12.3   | Circumstances under which OID must be changed—59                     |    |
| 9.12.4   | Change and classification requests—59                                |    |
| 9.12.5   | Publication of changes—60  |    |
| 9.13     | Dispute Resolution Provisions—60                                     |    |
| 9.14     | Governing Law—60   |    |
| 9.15     | Compliance with Applicable Law—60                                    |    |
| 9.16     | Miscellaneous Provisions—60  |    |
| 9.16.1   | Entire agreement—60  |    |
| 9.16.2   | Assignment—61  |    |
| 9.16.3   | Severability—61  |    |
| 9.16.4   | Enforcement (attorneys' fees and waiver of rights)—61                |    |
| 9.16.5   | Force Majeure — 61   |    |
| Annex 1: | Definitions and abbreviations—62                                     |    |
|          | List of figures  |    |
|          | Figure 1 CA model Private Server G1                                  | 11 |
|          | List of tables   |    |
|          | Table 1 Version history CPS ZOVAR                                    | 9  |
|          | Table 2 References to CPS ZOVAR                                      | 12 |
|          | Table 3 Field of application of server certificate                   | 13 |
|          | Table 4 Name of certificate holder (subject.DistinguishedName)       | 16 |
|          | Table 5 validity CA Certificaten Public G3/Private G1 hiërarchie     | 42 |
|          | Table 6 Basic attributes of certificate profiles                     | 44 |
|          | Table 7 Standard extensions of certificate profiles                  | 45 |
|          | Table 8 <oid ca=""> production environment SHA-2 generation</oid>    | 45 |
|          | Table 9 Fields <subject id=""> in SubjectAltName.otherName</subject> | 46 |
|          | Table 10 Overview of certificates with OID of applicable CP          |    |
|          | Table 11 CRL attributes  |    |
|          | Table 12 CRL extensions  | 48 |

**Revision history** 

|         | n history  | G      |  |
|---------|------------|--------|--|
| Version | Date       | Status | Comment  |
| 1.0     | 01-10-2007 | Final  |  |
| 2.0     | 01-06-2008 | Final  |  |
| 3.0     | 01-09-2015 | Final  |  |
| 4.0     | 01-06-2017 | Final  |  |
| 5.0     | 04-01-2018 | Final  | <ul> <li>The Private G1 hierarchy of the State of the<br/>Netherlands release.</li> </ul>                  |
| 5.1     | 10-09-2018 | Final  | - General Data Protection Regulation (De   |
|         |            |        | A Igemene verordening gegevensbescherming).  |
|         |            |        | <ul> <li>Limited liability with regard to performing</li> </ul>  |
|         |            |        | the identification of the certificate manager added (par 9.8).   |
|         |            |        | - Change regarding Time required to process  |
|         |            |        | a revocation request modified (par 4.9.5).   |
|         |            |        | - Retention periods included (par. 5.5.2).   |
| 5.2     | 23-11-2018 | Final  | C hange procedure modified (par. 9.12).      Various small changes and spelling                            |
| "       | 20 11 2010 |        | corrections (entire CPS).  |
|         |            |        | - The G2 hierarchy added.  |
|         |            |        | - Reference to chapter 3.2.2.4. of the Baseline  |
|         |            |        | Requirements included.   |
|         |            |        | - Chapter 8 'C onformity assessment' updated.  |
| 5.3     | 01-06-2019 | Final  | <ul> <li>Textual changes and clarifications (entire<br/>CPS).</li> </ul>                                   |
|         |            |        | - Right to check on compensating measures  |
|         |            |        | added (section 4.5.2.).  |
| 5.4     | 01-11-2019 | Final  | - The G21 hierarchy – end of life.   |
|         |            |        | - Reference to chapter 3.2.2.4.2, 3.2.2.4.6  |
|         |            |        | and 3.2.2.4.7 of the Baseline Requirements   |
|         |            |        | (3.2.3).   |
| 5.5     | 01-12-2019 | Final  | <ul> <li>O ffice hours added for revocation requests<br/>(par. 4.9.5).</li> </ul>                          |
| 5.6     | 01-04-2020 | Final  | - Chapter 9 'general terms en clarifications'  |
|         |            |        | updated and textual changes and  |
|         |            |        | clarifications.  |
|         |            |        | <ul> <li>X-pact c hanged to Cannock Outsourcing B.V.</li> </ul>  |
|         |            |        | <ul> <li>Confirmation Server certificate removed.</li> </ul>   |
|         |            |        | - Reference to RFC 2560 changed to IETF RFC 6960.  |
|         |            |        | - Reference to chapter 3.2.2.4.6 changed to  |
|         |            |        | 3.2.2.4.18 of the Baseline Requirements.   |
| 5.7     | 01-05-2020 | Final  | <ul> <li>Contact details changed [phone number].</li> </ul>  |
| 5.8     | 01-11-2020 | Final  | - Revoked certificates remain on the CRL.  |
| 6.0     | 28-09-2021 | Final  | - General review.  |
|         |            |        | - Subsection index in accordance with  |
|         |            |        | RFC3647.   |
|         |            |        | - Change in courier service Dynalogic AMP  |
|         |            |        | Groep.   |
|         |            |        | <ul> <li>Certificate acceptance; agreement with<br/>terms and conditions as stated in this CPS.</li> </ul> |
|         | ]          |        | terms and conditions as stated in this CPS.  |

## **Table 1 Version history CPS ZOVAR**

Copyright CIBG 2021 e in The Hague Nothing in this publication may be copied and/or made public (for any purposes whatsoever) by means of printing, photocopying, microfilm, audiotape, electronically or in any other way, without the written permission of CIBG.

## **Accord TSP Management**

Version: 6.0 Date: 24-09-2021

## 1. Introduction

#### 1.1 Overview

In order to facilitate the safe communication and consultation of confidential information in the care sector, three domains have been identified: the care consumers, the care insurers and healthcare administration offices, and the care providers. The Health insurers identification and authentication register (abbreviated to ZOVAR) is the register of health insurers designated by the Minister of Health, Welfare and Sport as referred to in Article 14 of the Act Additional provisions for the processing of personal data in the care [Wet aanvullende bepalingen verwerking persoonsgegevens in de zorg]. ZOVAR is the certificate service provider (TSP) that issues certificates for the unique identification and authentication of care insurers and healthcare administration offices. ZOVAR issues certificates with which care insurers and healthcare administration offices can request the citizen service number (BSN) from the Sectoral Healthcare Notifications Unit [Sectorale Berichten Voorziening in de Zorg] (SBV-Z). The authenticity and confidentiality functions are combined in the ZOVAR server certificates.

#### 1.1.1 Ca model

From 4 January 2018 ZOVAR issues server certificates under a the private Root CA G1 of PKIoverheid (Private G1). With the introduction of G1, the number of levels in the CA hierarchy is a maximum of 3.

The figure 1 below shows the CA model for the generation Private G1



Figure 1 CA model Private Server G1

#### 1.2 Document name and identification

## 1.2.1 Purpose of the CPS

The ZOVAR CPS describes how the services are interpreted. The CPS describes the processes, procedures and control measures for applying for, producing, issuing, managing and retracting of the certificates. By using this CPS, the parties involved can determine their confidence in the services delivered by ZOVAR.

The general framework of this CPS is based on the model as presented in Request for Comments 3647. The RFC 3647 applies internationally as the de facto standard for CPSes.

## 1.2.2 Relationship CP and CPS

ZOVAR issues certificates within the Government domain of the hierarchy of the PKI for the government (first and second generation) and within the Organisation domain (SHA-2 generation). The requirements imposed on the issue and use of a ZOVAR certificate are described in the Programme of Requirements section 3h Certificate Policy Server Certificaten – Domein Private Services.

### 1.2.3 Name and references

This document is formally referred to as the 'ZOVAR Certification Practice Statement (CPS)', abbreviated to CPS. A paper version of the CPS can be obtained from the contact address included in section 1.5.2. The references to the CPS are included in the table below.

| CPS    | Description                                  |
|--------|--|
| Naming | Certification Practice Statement, ZOVAR vX.x |

| Link                    |                                       |
|-------------------------|---------------------------------------|
|                         | https://www.zorgcsp.nl/cps/zovar.html |
| Object Identifier (OID) | 2.16.528.1.1007.5.1.1                 |

Table 2 References to CPS ZOVAR

#### 1.3 PKI Participants

The following parties are involved in the ZOVAR:

- implementing ZOVAR organisation, including suppliers of products and services:
- user community consists of:
  - subscribers;
  - o certificate holders;
  - o trusting parties.

The CIBG fulfils the role of TSP and has the final responsibility for delivering the certification services. The CIBG is an implementing body of the Ministry of Health, Welfare and Sport. The CIBG in the role of TSP is referred to in the rest of this CPS as 'ZOVAR'.

Clauses about liability and guarantees of the TSP are included in sections 9.6, 9.7 and 9.8.

#### 1.3.1 Certification Authorities (CA)

The CA produces and publishes certificates and certificate revocation lists (CRLs). The CA arranges the production and publication of requested certificates on the basis of an authenticated request from the RA. Certificates are published directly after they have been created by the CA. After revocation, the CA publishes certificate serial numbers on the CRLs. Certificates are published on a CRL after the CA has received a message of revocation of the certificate from an authorised person. The CIBG has outsourced the role of CA to KPN B.V.

### 1.3.2 Registration Authorities (RA)

The RA arranges the processing of certificate applications and all corresponding tasks. The RA physically collects the identification details, checks and registers these and carries out the verification checks described. After the checks the RA instructs the CA to produce and publish the certificates. CIBG fulfils the role of RA. CIBG has outsourced the process of establishing the identity of the certificate holder of a server certificate to KPN B.V. AMP Groep establishes the identity of the applicant/certificate manager on behalf of KPN B.V.

#### 1.3.3 Subscribers

The subscriber is the party on whose behalf the certificate holder (i.c. server/service) acts when using the certificate. A ZOVAR subscriber is a healthcare insurer or healthcare administration office.

A healthcare insurer means:

- Wlz implementing body as referred to in Article 1.1.1 of the Long-Term Care Act [Wet langdurige zorg] (Wlz);
- healthcare insurer as referred to in Article 1 under b of the Healthcare Insurance Act [Zorgverzekeringswet];
- insurance company as referred to in the Solvency II Directive insofar as

this company offers or implements insurance policies pursuant to which the insured risk is the need for care to which, by virtue of or pursuant to the Long-Term Care Act, no entitlement exists and whereby the insured performance exceeds that arranged by virtue of or pursuant to the Healthcare Insurance Act;

Server certificates can be obtained for a subscriber's systems. These certificates indicate that a system exchanges details and/or offers services on behalf of the subscriber. The subscriber is responsible for the accuracy of the details in the server certificates of his systems.

#### 1.3.4 Relying parties

A relying party is the party that acts on a certificate in trust.

The obligations which are applicable to relying parties are included in sections 4.5.2 and 9.6.4.

## 1.3.5 Other participants

Other participants are the certificate holders and certificate managers. The applicant of a server certificate authorised on behalf of the healthcare insurer or healthcare administration office also fulfils the role of certificate manager. A certificate manager is a natural person that carries out activities on behalf of the subscriber relating to the certificate of the certificate holder. The subscriber instructs the certificate manager to carry out the activities in question and records these as proof of certificate management. As TSP the CIBG guarantees the relationship to the subscriber and issues the server certificate after a face-to-face check and a check of the legal identity of the applicant/certificate manager. In the case of server certificates, the authenticity and confidentiality certificate are combined into a single certificate.

#### 1.4 Certificate usage

#### 1.4.1 Appropriate certificate uses

The field of application of certificates issued by ZOVAR is limited to the user community as described in section 1.3, section 3h of the Programme of Requirements of the PKI for the government.

ZOVAR issues server certificates. The function of an authenticity certificate and a confidentiality certificate are combined in these certificates. These functions are clarified in more detail in Table 3: Field of application of server certificate.

| Application                      | Purpose                             |
|----------------------------------|-------------------------------------|
| Authenticity and Confidentiality | This certificate is used to protect |
|                                  | communication between machines      |

Table 3 Field of application of server certificate

## 1.4.2 Prohibited certificate uses

Certificates may only be used for the purpose indicated. Otherwise there are no restrictions on the use of the certificates.

## 1.5 Policy Administration

# 1.5.1 Organization administering the document CIBG administers the document.

## 1.5.2 Contact person

Information about this CPS or the services of ZOVAR can be obtained via the following contact details. Comments on this CPS can be sent to the same address:

**ZOVAR** 

Rijnstraat 50 PO Box 16114 2515 XP The Hague 2500 BC The Hague

Tel: 070 340 60 20

info@zovar.nl www.zovar.nl

Suspected private key compromise, certificate misuse, or other types of fraud, compromise, misuse inappropriate conduct or any other matter related to certificates can be reports t e-mail at info@zovar.nl

## 1.5.3 Person determining CPS suitability for the policy

Determining the suitability of the CPS policy is part of the CPS approval procedure and is assessed by an independent auditor.

## 1.5.4 CPS approval procedures

The CIBG is entitled to amend or supplement the CPS. Changes apply as of the moment that the new CPS commences and is published on the website www.zovar.nl. The TSP management is responsible for correct compliance with the procedure as described in section 9.12 and for the eventual approval of the CPS in accordance with this procedure.

## 1.6 Definitions and Acronyms

For an overview of the definitions and abbreviations used, please refer to Annex 1.

## 2. Publication and repository responsibilities

## 2.1 Repositories

ZOVAR publishes certificates, as part of the issue procedure. Trusting parties, certificate holders and subscribers can consult certificates via the directory service.

The directory service can be accessed online and is adequately secured against manipulation. Information about the status of a certificate can be consulted twenty-four hours a day and seven days a week by means of a Certificate Revocation List (CRL).

ZOVAR is responsible for the website on which, among other things, this CPS is published. The CRL is also placed on this website (generated by the CA). This website also contains the online revocation page and provides a public search function for certificates.

#### 2.2 Publication of certification information

ZOVAR publishes TSP information on www.zovar.nl. Among other things, this location offers access to the following documents and services:

- CPS,
- Consultation and advisory memoranda relating to changing the CPS,
- · Trusting party conditions,
- Certificate Revocation Lists (CRLs),
- TSP and CA certificates,
- Directory service. (LDAP search page)

## 2.3 Time or frequency of publication

Certificates are published as part of the issue process. The CRL issue frequency is every hour.

## 2.4 Access controls on repositories

Published information is public in nature and freely accessible. The published information can be consulted twenty-four hours a day and seven days per week.

The published certificates can only be accessed publicly via the search function on the website.

## 3. Identification and authentication

#### 3.1 Naming

This section describes how the applicant/certificate manager is identified and authenticated during the initial registration procedure and which criteria the ZOVAR imposes with regard to the names.

## 3.1.1 Types of names

The name of the certificate holder is included in the server certificate. This field consists of (X.500) attributes and is filled as follows:

| Attribute               | Server   |
|-------------------------|--|
| Country (C)             | 'NL'   |
| Organization (O)        | Subscriber's name                                  |
| OrganizationalUnit (OU) | Department (optional)                              |
| CommonName (CN)         | System name  |
| SerialNumber            | <uzovi number=""><zovar number=""></zovar></uzovi> |

Table 4 Name of certificate holder (subject.DistinguishedName)

No attributes are used other than those indicated above. A clarification of the other parts of the certificates is included in chapter 7.

## 3.1.2 Need for names to be meaningful

The name used in the issued certificates is unambiguous in such a way that it is possible for the trusting party to establish irrefutably the identity of the certificate holder or subscriber.

## 3.1.3 Anonymity or pseudonymity of subscribers

ZOVAR does not allow the usage of pseudonyms in the subscriber registration or certificate applications.

## 3.1.4 Rules for interpreting various name forms

The following points are relevant for the interpretation of the name:

- The subscriber name contains the name as used during the registration in the Trade Register of the Chamber of Commerce.
- Department contains the department name given by the subscriber. This
  is not verified by ZOVAR.
- System name contains, for example, the fully qualified domain name (fqdn) of the system.

All names are, in principle, taken literally from the identification documents submitted. However, it may be the case that the name details contain special characters which are not part of the standard character set in accordance with ISO8859-1 (Latin-1). If the name contains characters which are not part of this character set, ZOVAR will carry out a transition.

ZOVAR reserves the right to change the requested name upon registration if this is legally or technically necessary.

## 3.1.5 Uniqueness of names

ZOVAR guarantees that the uniqueness of the 'subject' field will be maintained. This means that the distinctive name which is used in an issued certificate can never be allocated to another subject. This is done using the ZOVAR number that is included in the subject.serialNumber, preceded by the UZOVI number.

In instances in which parties are unable to agree on the use of names, the TSP management will decide after weighing up the interests involved, insofar as this is not provided for in mandatory Dutch law or other applicable regulations.

3.1.6 Recognition, authentication, and role of trademarks

The name of a healthcare insurer or healthcare administration office as referred to in the certified excerpt from the Trade Register of the Chamber of Commerce will be adopted upon registration and used in the certificates.

Applicants/certificate managers of certificates bear full responsibility for any legal consequences of using the name they provide. In the event that brand names are used the ZOVAR will take the necessary care but is not obliged to initiate an investigation into possible violations of trademarks as a consequence of using a name which is part of the details included in the certificate. ZOVAR reserves the right to reject the application or change the requested name if it could be contrary to trademark law.

## 3.2 Initial identity validation

3.2.1 Method to proof possession of private key

The key pairs are generated by the certificate manager of the subscriber. An application for certification of a public key of a server certificate is signed with the corresponding private key. In this way the certificate manager can demonstrate ownership of the private key.

3.2.2 Authentication of organization identity

If an organisation submits an application to be registered as a subscriber, the following must be submitted:

- A completed application form signed by the applicant of the registration containing
  - $\circ$  the full name of the organisation;
  - the address of the organisation;
  - the full name (full first names, prefixes birth name, birth name, prefixes surname and surname) and contact details of the legal representative of the organisation;
  - the full name and contact details of the employee or employees who are allowed to apply for and withdraw certificates on behalf of the organisation (the authorised applicant);
  - o the UZOVI number.
- Proof that the names of the people referred to in the application form are correct. This proof must be submitted in the form of a copy of an identification document as referred to in the Compulsory Identification Act [Wet op de identificatieplicht] (WID). All first names must be stated in full on the identification document. ZOVAR archives the copies of the submitted identification documents.
- Proof that the name of the organisational entity is up-to-date and correct. This proof can take the form of:

- the registration number under which the organisational entity is listed in the Trade Register of the Chamber of Commerce and which shows the accuracy of the name;
- Proof that the legal representative is authorised to represent the organisation. This proof can take the form of:
  - The registration number under which the organisational entity is listed in the Trade Register of the Chamber of Commerce and which shows who is authorised to represent the organisation;
  - If the organisation is not registered with the Chamber of Commerce, a copy of the appointment of the legal representative can be submitted.

Organisations that have a licence granted by the Dutch Central Bank [Nederlandsche Bank] belong to the ZOVAR domain. These organisations do not have to submit any proof.

ZOVAR checks the submitted documents and details for authenticity, completeness and accuracy. ZOVAR checks whether a stated UZOVI number corresponds to the UZOVI number in the Vektis registration. ZOVAR informs the subscriber of the success or rejection of the registration request. In the event of a rejection, the reason for the rejection will be stated.

### 3.2.3 Authentication of individual identity

The individual identity is authenticated upon establishment of identity within the framework of the issue of a server certificate.

A certificates application must be made by (an authorised applicant on behalf of) the subscriber that also fulfils the role of certificate manager. The following must also be submitted:

- A completed application form signed by the subscriber's applicant/certificate manager containing
  - o the name of the subscriber;
  - the subscriber number;
  - o the name of the applicant/certificate manager of the subscriber;
  - the name of the system or the server for which certificates are being applied.
- the fully qualified domain name (FQDN) owned by the subscriber or which the holder has given permission to use. The domain name must be unique and may not be in use by another organisation. If the subscriber is not the owner of the domain name, ZOVAR checks if the subscriber can use the domain name The methods used by ZOVAR are described in chapter 3.2.2.4.2, 3.2.2.4.18 and 3.2.2.4.7 of the Baseline Requirements.
- The PKCS#10 file (Certificate Signing Request (CSR). PKCS#10 is the common standard for a certificate request and contains the public key that is included in the ZOVAR server certificate. The PKCS#10 file must be uploaded into the application form are added to the application.

In all cases ZOVAR checks the authenticity, completeness and accuracy of the submitted documents. ZOVAR checks, on the basis of the submitted documents, whether the applicant is actually authorised to apply for the certificates. In the case of the recognised registers (Foundation for Internet Domain Registration in the Netherlands [Stichting Internet Domeinregistratie Nederland] (SIDN) or Internet Assigned Numbers Authority (IANA)) ZOVAR checks to determine whether the subscriber owns the domain name. ZOVAR informs the subscriber of the issue of a certificate or the rejection of the

certificate application. If the certificate application is rejected, the reason for the rejection will be stated.

#### 3.2.4 Non-verified subscriber information

ZOVAR verifies the name of the subscriber on the basis of recognised documents (see sections 3.2.2 and 3.2.3).

ZOVAR verifies all details included in the certificate, with the exception of the optional 'department' field. The 'department' field optionally contains the department name given by the subscriber. This is not verified by ZOVAR. Details which are only recorded for correspondence purposes, such as correspondence name, academic titles and telephone numbers are not verified. ZOVAR adopts details which are not verified from the application form signed by an authorised applicant on behalf of the subscriber.

### 3.2.5 Validation of authority

The subscriber's legal representative can, upon registration, record which people are allowed to apply for certificates for the subscriber. These applicants are also certificate managers and are entitled to receive a certificate for a certificate holder on behalf of the subscriber. ZOVAR checks the authenticity of this application by the legal representative. ZOVAR archives this proof.

Only a legal representative can indicate who may apply for certificates on behalf of the subscriber. The method used to authenticate the legal representative is described in section 3.2.2. In the event of a server certificate application ZOVAR checks, on the basis of a copy of an identity document, whether the application has been signed by an authorised applicant.

## 3.2.6 Criteria for interoperation No stipulation.

## 3.3 Identification and authentication for re-key requests

#### 3.3.1 Identification and authentication for routine re-key

The procedures and checks relating to identification and authentication in the event of renewal of the certificate are the same as those which apply to initial registration. A new key pair is always generated when a renewal request is executed.

The certificate can be renewed using a certificate renewal application form. These application forms will be submitted on time by ZOVAR together with the renewal letter. Only original certificate renewal application forms which have been sent out by ZOVAR will be processed. The renewal letter and the application form must be sent out no less than 3 months before the expiry date. When renewing certificates, a check must always be carried out in advance to see whether all the requirements of sections 3.1 and 3.2 have been fulfilled.

3.3.2 Identification and authentication for re-key after revocation Keys are renewed after revocation of the certificate in accordance with an initial application. A new key pair is always generated when a renewal request is executed. See the procedure in section 3.3.1 'Routinematige vernieuwing van het certificaat'.

## 3.4 Identification and authentication for revocation request

The legal representative of an authorised applicant can submit revocation requests on behalf of the subscriber. Requests to withdraw certificates can be made electronically, by email of by post. It is not possible to withdraw server certificates by telephone  $^{1}$ .

In the event of **electronic revocation** identification and authentication take place on the basis of a number and a revocation code. The number and the revocation code are sent to the subscriber in writing when the certificate is issued.

In the event of revocation by **non-electronically signed email or by post**, identification and authentication will take place on the basis of a request signed by the person authorised to withdraw. ZOVAR checks whether the signature on the revocation request corresponds to the archived copy of an identification document as referred to in the WID.

- If the signature corresponds, ZOVAR will carry out the revocation request.
- If the signature does not correspond, ZOVAR will telephone the subscriber using the contact details registered with the ZOVAR. The applicant will then be asked to place the signature in accordance with the WID archived with ZOVAR. If the signature on the WID is changed, the applicant will be asked to send a valid copy of the WID to ZOVAR. After another check of the signature, ZOVAR will carry out the revocation request. ZOVAR archives the new copy of the WID.

In the event of revocation via **electronically signed email** the requirement will be that the email is signed by the person authorised to withdraw with a qualified non-repudiation certificate (such as on a PKI government card).

<sup>1</sup> This decision is taken after a risk analysis. The withdrawal of a server certificate can have consequences as regards connecting a subscriber to the care infrastructure. Because the possibility of a wrongful withdrawal is greater in the case of a telephone request than when other channels are used, ZOVAR does not offer the option of withdrawing by telephone.

## 4. Certificate life-cycle operational requirements

## 4.1 Certificate application

4.1.1 Who can submit a certificate application

Applications for certificates can only be submitted by an applicant/certificate manager and a legal representative. These applicants/certificate managers are authorised by the subscriber to submit applications. Applications must always be submitted in writing. PKCS#10 files can only be sent via the website or via electronically signed mail.

4.1.2 Enrollment process and responsibilities

It is not possible to cancel an application after submission to ZOVAR. Exceptions, in exceptional cases, at the discretion of the TSP management. These include, for example, the situation in which the applicant discovers an irregularity in the application immediately after submission, and the application is not yet being processed by ZOVAR.

#### 4.2 Certificate application processing

Before certificates can be applied for, the subscriber must be registered with ZOVAR. For this, the following steps have to be completed:

- The intended subscriber submits a completed and signed application form, including the documents indicated in section 3.2. The intended subscriber can fill in forms via the ZOVAR website or can request these from ZOVAR. Before completing the application form the subscriber must be familiar with all the applicable conditions in the CPS. ZOVAR will not process any incomplete applications.
- ZOVAR carries out the checks referred to in section 3.2 and informs the subscriber of the result. If ZOVAR has informed the subscriber in writing that they cannot be registered, the subscriber will have six weeks to submit an objection.

A subscriber can apply for server certificates after registration. For this, the following steps have to be completed:

- The applicant/certificate manager submits a completed and signed application form including the documents indicated in section 3.2.3. The applicant/certificate manager can obtain forms via the website (www.zovar.nl). Before completing the application form the applicant/certificate manager must be familiar with all the applicable conditions in the CPS. ZOVAR will not process any incomplete applications.
- ZOVAR archives the submitted documents so that they can be used as proof in the event of reconstruction.

ZOVAR does not check Certification Authority Authorization DNS details on behalf of any 'certificate pinning' by the subscriber.

- 4.2.1 Performing identification and authentication functions ZOVAR performs the checks as described in section 3.2 and 4.3.
- 4.2.2 Approval or rejection of certificate applications
  ZOVAR carries out the checks referred to in section 3.2 and informs the

subscriber of the issue of the certificate or the rejection of the application. If the application is rejected, the reason for the rejection will be stated and the subscriber will have six weeks to submit an objection.

#### 4.2.3 Time to process certificate applications

The maximum turnaround time applied by ZOVAR is no more than eight weeks from receipt of the completed application until the ZOVAR server certificate is available. ZOVAR may require more time during extremely busy periods. Information on this will be issued on the website www.zovar.nl.

#### 4.3 Certificate Issuance

### 4.3.1 CA actions during certificate issuance

A Server Certificate can be issued in two ways. Both are clarified below.

The Server Certificates are issued on the basis of a request signed by the applicant/certificate manager with an electronic signature:

- The applicant/certificate manager signs the PDF application form with a qualified non-repudiation certificate. Or;
- The applicant/certificate manager sends the ZOVAR an email containing the completed application form. The applicant/certificate manager signs this email with a qualified non-repudiation certificate
- The employee of ZOVAR checks the submitted details and carries out validity checks on the electronic signature. After carrying out the checks and recording the details, instructions are issued to produce the server certificate.

The server certificates are issued after the applicant/certificate manager of the subscriber has appeared in person:

- The applicant/certificate manager must appear in person at the address indicated. This physical confirmation of the identity of the applicant/certificate manager can only be carried out within the Netherlands.
- The certificate manager submits a valid identification document stating
  full first name, initials or other first name(s) (if applicable), birth name, as
  well as the date and place of birth. Valid identification documents are
  those designated as such in Article 1 of the Compulsory Identification Act
  [Wet op de Identificatieplicht] (WID). ZOVAR is obliged to archive a copy
  of the document used to prove identity. The data on the copy that are not
  relevant to ZOVAR are shielded using automatic recognition software.
- The physical confirmation of the identity of the card applicant/certificate manager and the creation of the copy are carried out by AMP Groep courier company on the instruction of ZOVAR. AMP Groep is fully certified to do this (in accordance with ETSI EN 319411-2).
- The applicant/certificate manager signs the proof of identification. The
  certificate manager hereby agrees to the terms and conditions as stated
  in this CPS, see 4.4. After successful identification, the applicant/certificate manager will receive a confirmation by e-mail from AMP group.
- After the signed proof of identification has been processed by ZOVAR, instructions will be given to produce the server certificate.
   revocation

## 4.3.2 Notification to subscriber by the CA of issuance of certificate

After a servercertificate has been produced, ZOVAR sends the certificate by email to the applicant/certificate manager. ZOVAR also sends a revocation code to the subscriber's correspondence address for the attention of the applicant/certificate manager.

## 4.4 Certificate acceptance

The conditions for the use of certificates of ZOVAR are stated in the CPS. The CPS is published on the website.

## 4.4.1 Conduct constituting certificate acceptance

The certificate manager should check the certificate content on correctness and completeness before using it. By using the certificate, the certificate manager declares that he has taken note of and agrees with the rights and obligations as stated in the CPS and that he agrees with the content of the certificate. See also section 9.1.10.

#### 4.4.2 Publication of the certificate by the CA

The certificates are published in the directory service immediately after the certificate has been signed by the CA during the production process. Subscriber and card holder/certificate manager agree to the publication of the public certificates and the information contained therein, see chapter 7 and section 2.4.

4.4.3 Notification of certificate issuance by the CA to other entities No stipulation.

## 4.5 Key pair and certificate usage

- 4.5.1 Subscriber private key and certificate usage
  - The subscriber is obliged to inform ZOVAR immediately and to withdraw the certificates if an irregularity occurs as indicated in section 4.9.1.
  - The subscriber and the certificate holder are obliged to stop using the
    certificates and the corresponding private keys if instructed to do so by
    ZOVAR. ZOVAR can provide an indication like this in the event that a CA
    key is compromised.
  - The subscriber guarantees that all submitted details are correct and complete. This concerns the details relating to the subscriber registration, the certificate application and other details.
  - The subscriber guarantees that all data supplied, and therefore the data included in the certificate, are correct and complete. This concerns the data related to the subscription registration, the certificate application and other data
  - The subscriber must ensure that the key material is exclusively generated in a safe resource that complies with EAL 4+ or equivalent security criteria.
  - The subscriber is obliged to save the keys which belong to server certificates in a Secure User Device (SUD). The subscriber must secure the SUD in which the private keys are saved in a manner suitable for securing critical company resources. The subscriber can deviate from this if compensatory measures are taken in the field of physical access security, logical access security, logging, audit and functional separation in the environment of the system that contains the keys of the server certificates. The keys can also be protected using software. The compensating measures must be of such quality that it is practically

- impossible to steal or copy the keys without being noticed<sup>2</sup>.
- The subscriber is obliged to keep the activation details, which are used to obtain access to the private key, separate from the SUD.
- If the domain name (FQDN) as referred to in a server certificate is identifiable and addressable via the internet, the subscriber guarantees that the server certificate is only placed on a server that is at least accessible using one of the FQDNs in this server certificate.
- The subscriber and applicant of a certificate requests confirms that ZOVAR is entitled to issue personal data, such as name, address, email and telephone number to Cannock Outsourcing B.V. and AMP Groep.
- The subscriber confirms that ZOVAR is entitled to withdraw the certificate
  if the subscriber violates the applicable conditions or if the ZOVAR
  establishes that the certificate is being used in conjunction with criminal
  activities, for example phishing attacks, fraud, or the distribution of
  malware.
- The above obligations for the subscriber will, insofar as they can be designated as too uncertain, be developed in more detail in ZOVAR quidelines and/or more detailed regulations.

## 4.5.2 Relying party public key and certificate usage

The obligations of the relying party are applicable when trusting a certificate issued by ZOVAR. The relying party is obliged:

- to assess on a case-by-case basis whether it is justified to trust the certificate;
- to check the validity and authenticity of the hierarchy within which the
  certificate is issued, meaning the validity of certificates of the more
  superior CAs as well as of the master certificate of the State of the
  Netherlands;
- to verify the validity of the certificate by means of the most recently published Certificate Revocation List (CRL) or via the Online Certificate Status Protocol (OCSP);
- always to use the most recently published Certificate Revocation List (CRL) in the event of calamities and/or incidents whereby the Online Certificate Status Protocol (OCSP) is inaccessible;
- to take cognizance of all obligations regarding the use of the certificate as referred to in this CPS and the trusting party conditions, including explicitly all restrictions on the certificate's use;
- to take all other precautionary measures which can reasonably be taken by trusting parties;
- to be aware that previous checks only authenticated the integrity of the details and the identity of the server or service and did not constitute a judgement on the content of the details.

#### 4.6 Certificate Renewal

If, after the (threatened) expiry of the period of validity or after an application for revocation, a ZOVAR-certificate is applied for, new key pairs and new certificates will be generated. The procedures, checks and method of working used in relation to the application, production and issuing are the same as the procedures, checks and method of working relating to the first issue. Certificate holders' keys will not be reused after the end of the period of validity or after the corresponding certificates have been withdrawn. Renewing certificates will also mean renewal of the key pair.

<sup>2</sup> ZOVAR has the right to check the compensating measures

- 4.6.1 Circumstance for certificate renewal No stipulation.
- 4.6.2 Who may request renewal No stipulation.
- 4.6.3 Processing certificate renewal requests No stipulation.
- 4.6.4 Notification of new certificate issuance to subscriber No stipulation.
- 4.6.5 Conduct constituting acceptance of a renewal certificate No stipulation.
- 4.6.6 Publication of the renewal certificate by the CA No stipulation.
- 4.6.7 Notification of certificate issuance by the CA to other entities No stipulation.

### 4.7 Certificate Re-Key

If, after the (threatened) expiry of the period of validity or after the revocation, new server certificates are applied for, new key pairs and new certificates will be generated. The procedures, checks and method of working used in relation to the application, production and issuing are the same as the procedures, checks and method of working relating to the first issue.

- 4.7.1 Circumstance for certificate re-key No stipulation.
- 4.7.2 Who may request certification of a new public key No stipulation.
- 4.7.3 Processing certificate re-keying requests No stipulation.
- 4.7.4 Notification of new certificate issuance to subscriber No stipulation.
- 4.7.5 Conduct constituting acceptance of a re-keyed certificate No stipulation.
- 4.7.6 Publication of the re-keyed certificate by the CA No stipulation.
- 4.7.7 Notification of certificate issuance by the CA to other entities No stipulation.

#### 4.8 Certificate Modification

If certificates have to be modified, the existing certificates will have to be withdrawn and new certificates with amended details applied for.

4.8.1 Circumstance for certificate modification

No stipulation.

- 4.8.2 Who may request certificate modification No stipulation.
- 4.8.3 Processing certificate modification requests No stipulation.
- 4.8.4 Notification of new certificate issuance to subscriber No stipulation.
- 4.8.5 Conduct constituting acceptance of modified certificate No stipulation.
- 4.8.6 Publication of the modified certificate by the CA No stipulation.
- 4.8.7 Notification of certificate issuance by the CA to other Entities No stipulation.

## 4.9 Certificate revocation and suspension

Requests to withdraw certificates can be submitted as described below. ZOVAR ensures that date and time of revocation of certificates can be established exactly. In the event of any doubt the time determined by ZOVAR will apply as the moment of revocation. If a certificate is withdrawn, it cannot be declared valid again.

ZOVAR does not permit the (temporary) suspension of certificates.

4.9.1 Circumstances for revocation

The subscriber is obliged to submit a revocation request to ZOVAR and to terminate the use of the certificate in the following circumstances:

- observed or suspected misuse or compromise;
- · termination of the subscriber's existence;
- inaccuracies in, or changes to, the details shown on the certificates;
- system/server no longer used;
- permission to use the domain name is withdrawn.

Revocation on the initiative of ZOVAR will take place in the following circumstances:

- All certificates of a subscriber can be withdrawn if the subscriber does not comply with the obligations in the CPS<sup>3</sup>.
- All certificates of a subscriber are withdrawn if the Dutch Central Bank no longer designates them as a healthcare insurer or if the Ministry of Health, Welfare and Sport no longer designates them as a healthcare administration office.
- A server certificate is withdrawn if the owner of the domain name reports to ZOVAR that the permission to use the domain name has been withdrawn
- One or more certificates of a subscriber are withdrawn if ZOVAR observes inaccuracies in the details included in the certificate, for example due to a name change.

<sup>3</sup> The conditions for the subscribers are included in CPS sections 4.5.1 and 9.6.2.

- The certificates of a subscriber can be withdrawn if the private key belonging to the certificates, or the key of the TSP or PKI government has been compromised.
- The certificates of a subscriber or certificate holder are withdrawn if the technical content of the certificate implies an irresponsible risk for subscribers, trusting parties and third parties (for example browser parties).
- A server certificate is withdrawn if the invoice is not paid for by the set deadline<sup>4</sup>.

The reasons for each revocation initiated by ZOVAR are to be documented, archived and signed by the TSP management.

## 4.9.2 Who can request revocation

A request to withdraw certificates may be submitted by:

- an authorised applicant on behalf of the subscriber in the role of certificate manager;
- the legal representative of the subscriber;
- the curator that acts if the subscriber itself is no longer authorised to perform legal actions with intended legal consequence;
- the management responsible for ZOVAR.

A trusting party cannot make a revocation request but can report the suspicion of a circumstance which may cause the revocation of a certificate. In such an instance ZOVAR will investigate the report and will withdraw the certificate if necessary.

### 4.9.3 Procedure for revocation request

Requests to withdraw certificates can be made by a certificate holder, an appropriately authorised person of the subscriber, or by the certificate holder electronically, or by email of by post. It is explicitly pointed out that, in the event that the revocation serves an urgent interest, the revocation should take place electronically via the website of ZOVAR (www.zovar.nl). This form of revocation is available twenty-four hours per day, seven days per week.

In the event of **electronic** revocation, the applicant/certificate manager fills in a number that has been communicated with the corresponding revocation code on the website of ZOVAR (www.zovar.nl). If the revocation code and smart card number are correct, the certificate will be withdrawn. The applicant will be notified on the website. If the revocation code and smart card number are incorrect, notification will be given that the revocation will not be carried out. ZOVAR has taken measures to make it impossible to make unlimited incorrect revocation requests.

In the event of revocation **by non-electronically signed email or by post** the following must be submitted:

- A revocation request signed by an appropriately authorised person, containing:
  - o the name of the subscriber;
  - the name of the person making the revocation request;
  - the reference to the certificate or the certificates for which the request applies.

ZOVAR checks whether the signature on the revocation request corresponds

<sup>4</sup> As stated in section 9.1.7, the deadline is set at six weeks after receipt of the reminder.

to the archived copy of an identification document as referred to in the WID.

- If the signature corresponds, ZOVAR will carry out the revocation request.
- If the signature does not correspond, ZOVAR will telephone the subscriber using the contact details registered with the ZOVAR. The applicant will then be asked to place the signature in accordance with the WID archived with ZOVAR. If the signature on the WID is changed, the applicant will be asked to send a valid copy of the WID to ZOVAR. After another check of the signature, ZOVAR will carry out the revocation request. ZOVAR archives the new copy of the WID.

The following requirement applies in the case of revocation by electronically signed email:

• The email is signed by the person authorised to withdraw with a qualified non-repudiation certificate (as on a PKI government card).

ZOVAR checks whether the party submitting the revocation request is authorised to make the application. ZOVAR also checks the identity of the party submitting the revocation request on the basis of the submitted identity document and a previously archived copy of the identity document. After carrying out the checks ZOVAR withdraws the certificates and places them on the Certificate Revocation List (CRL). A confirmation that the revocation has been accepted, or a notification that the revocation request has been rejected, will be sent in writing to the subscriber.

## 4.9.4 Revocation request grace period

The certificate holder or the subscriber are obliged to submit a revocation request immediately and without delay in situations referred to in section 4.9.1.

4.9.5 Time within which CA must process the revocation request

Electronic requests are dealt with immediately online. ZOVAR advises parties to use the electronic revocation facilities on the ZOVAR website. These facilities are available twenty-four hours per day and seven days per week. In the event of electronic revocation, the maximum delay between receiving a request and changing the revocation status information (CRL) is four hours.

Requests received by e-mail or post will only be processed within four hours if the request is received on workdays between 7:30 a.m. and 4:00 p.m. Requests submitted after 4:00 p.m. will be processed the following working day.

If the revocation has an urgent interest, this must be done electronically (24 hours a day and seven days a week using the revocation code).

#### 4.9.6 Revocation checking requirement for relying parties

Trusting parties are obliged to check the current status (withdrawn/not withdrawn) of a certificate by consulting the most recently publische CRL of via the OCSP facility. Trusting parties are also obliged to check the CRL's electronic signature, including the corresponding certification path.

## 4.9.7 CRL issue frequency

The CRL issue frequency is every hour and the CRL is valid for 48 hours. In the event of system defects, service activities or other factors outside ZOVAR's control, ZOVAR also ensures that revocation requests which are submitted via the website are carried out within four hours after submission. With this in mind a fallback scenario has been designed which is regularly

#### tested.

If the processes which rely on the ZOVAR certificates require the certificate status to be more up-to-date, we urgently advise using the facility for an online check of the revocation status (see section 4.9.9).

Withdrawn certificates will remain on the CRL, even after the original validity date had passed.

## 4.9.8 Maximum latency for CRLs

The CRL is published immediately after generation.

## 4.9.9 On-line revocation/status checking availability

In addition to the publication of CRLs, ZOVAR also offers certificate status information via the Online Certificate Status Protocol (OCSP) facility. The OCSP is structured in accordance with IETF RFC 6960. As soon as a CA certificate reaches the expiry date, the OCSP service stops for het CA in question.

OCSP validation is an online validation method whereby ZOVAR sends the trusting party an electronically signed message (OCSP response) after the trusting party has sent a specific request for status information (OCSP request) to the OCSP service (OCSP responder) of ZOVAR. The OCSP response will include the requested status of the certificate in question. The status can be expressed as one of the following values: good, withdrawn or unknown. If we do not receive an OCSP response, for whatever reason, no conclusion can be drawn in relation to the certificate's status. The URL of the OCSP responder with which the revocation status of a certificate can be validated is stated in the AuthorityInfoAccess.uniformResourceIndicator attribute of the certificate.

A OCSP response is always sent and signed by the OCSP responder. A trusting party must verify the signature under the OCSP response with the system certificate which accompanies the OCSP response. This system certificate is issued by the same Certification Authority (CA) as the CA that issued the certificate of which the status is being requested.

The information issued via the OCSP responder may be more up-to-date than the information communicated via the CRL. This is only the case if a revocation has taken place and the regular renewal of the CRL has not yet occurred.

## 4.9.10 On-line revocation checking requirements

This service is freely available to all trusting parties who want to validate the revocation status of a certificate issued by ZOVAR.

# 4.9.11 Other forms of revocation advertisements available No stipulation.

#### 4.9.12 Special requirements re key compromise

Revocation of a domain or a TSP certificate will be considered if the signing key belonging to the certificate is compromised or suspected to be compromised. Indicators of private key compromise may include:

- Theft or loss of device holding a private key;
- Audit findings indicating private key compromise;
- CT Log findings indicating unauthorized certificate signing;
- Incidents reported to CIBG by third parties which may indicate key compromise.

All indicators are registered, analyzed, and followed up accordingly.

#### 4.9.13 Circumstances for suspension

ZOVAR does not permit the (temporary) suspension of certificates.

#### 4.9.14 Who can request suspension

ZOVAR does not permit the (temporary) suspension of certificates.

#### 4.9.15 Procedure for suspension request

ZOVAR does not permit the (temporary) suspension of certificates.

#### 4.9.16 Limits on suspension period

ZOVAR does not permit the (temporary) suspension of certificates.

## 4.10 Certificate Status Services

## 4.10.1 Operational characteristics

ZOVAR issues a new CRL every hour. OCSP can be used to request the current status information.

## 4.10.2 Service availability

In the event of a disruption, ZOVAR will ensure that the services become available again within four hours of the disruption being discovered. This only applies to the CRL. In the event of disruptions the CRL must always be used and not the OCSP.

## 4.10.3 Optional features

No stipulation.

## 4.11 End of Subscription

No end date applies, in principle, to the subscriber registration. If the relationship between the subscriber and ZOVAR is terminated, the subscriber will be deleted from the register.

With a request to delete the registration the subscriber indicates that they no longer wish to use the services of the ZOVAR. The subscriber is then removed from ZOVAR. A request for deletion of a registration (and therefore revocation of the certificates issued to the registered party) must be submitted in writing. ZOVAR authenticates the applicant in accordance with the authentication procedure which applies to registration applications.

In the event of a name change or termination of a subscriber, a transition period of three months will come into effect. This transition period implies the following:

- the server certificates will remain active,
- the subscriber registration will remain active.

After the transition period all server certificates will be withdrawn and the

subscriber registration deleted.

## 4.12 Key escrow and recovery

ZOVAR does not support key escrow and key recovery.

- 4.12.1 Key escrow and recovery policy and practices No stipulation.
- 4.12.2 Session key encapsulation and recovery policy and practices No stipulation.

## 5. Facility, Management, and Operational Controls

## 5.1 Physical Controls

#### 5.1.1 Site location and construction

The services of ZOVAR are provided from various locations. The registration work is carried out at CIBG's premises. The certification takes place at the computing centre of KPN Corporate Market B.V. The work in relation to the mobile identification of the certificate manager takes place on location.

## 5.1.2 Physical access

The necessary physical security measures have been taken for all locations. These measures have been taken on the basis of risk analyses and security plans. The measures taken guarantee a protected and properly protected registration, certification, issue and revocation process which prevents unauthorised access to, or violation of, these processes or the locations where they are being carried out. For example, the work relating to the certification takes place in a high security environment at the computing centre of KPN Corporate Market B.V. in Apeldoorn. This environment fulfils the law and regulations imposed by the government, including the Protection of State Secrets Act 1951 [Wet Bescherming Staatsgeheimen 1951]. Numerous measures have been taken at all locations to prevent emergency situations and to limit any emergency-related damage. Examples of these measures are lightning conductors, power supplies, structural measures and access procedures.

ZOVAR has separate test, acceptance and production systems. The transfer of software from one environment to the other takes place in a controlled fashion via a change management procedure. This change management procedure covers, among other things, monitoring and recording of versions, changes and emergency repairs to all operational software. Before software can be put into production, ZOVAR carries out tests on the basis of predetermined test plans.

ZOVAR takes prompt and coordinated action to respond quickly to incidents and to limit the effect of any security violation. All relevant incidents are immediately reported to the organisations stipulated in the law and regulations whenever they occur. Incidents relating to a category specified in advance by the Policy Authority of the PKI for the government are reported to said Policy Authority.

# 5.1.3 Power and air conditioning See chapter 5.1.2.

# 5.1.4 Water exposures See chapter 5.1.2.

#### 5.1.5 Fire prevention and protection

The integrity of TSP systems and information is protected against viruses, malware and unauthorised software and other possible sources that could lead to a disruption of the services, by means of a combination of suitable physical, logical and organisational measures. These measures are

preventive, repressive and corrective in nature. Examples of these measures are logging, firewalls, intrusion detection and redundancy of systems, system elements and network components.

## 5.1.6 Media storage

All used system storage media are treated safely in order to protect them from damage, theft and unauthorised access. Storage media are carefully removed when they are no longer needed.

Usage capacity is monitored and predictions are made in order to ensure sufficient processing capability and storage capacity in the future.

## 5.1.7 Waste disposal

CIBG personnel are obliged to dispose of confidential information in the designated closed waste bins or shredders. A data destruction company has been contracted for the destruction of this confidential data.

#### 5.1.8 Off-site backup

CIBG has taken measures to guarantee the availability of business-critical services. These measures, as well as the Recovery Point Objective and Recovery Time Objective, are described in a business continuity plan.

Incremental backups of the registration system and digital records are stored on a daily basis, full backups are stored on a weekly basis and are also archived at a remote location. The paper archive is not backed up.

### 5.2 Procedural Controls

#### 5.2.1 Trusted roles

Personnel with access to cryptographic material or people who also operate in a confidential role have a position that is classified as confidential. Hereby, all staff in confidential positions have been screened for the presence of conflicting interests that could influence the impartiality of the activities of ZOVAR. This by means of a 'Declaration on behaviour' in accordance with the Judicial Data Act.

## 5.2.2 Number of persons required per task

The services of ZOVAR are organised in such a way that it is impossible for a single person to compromise the reliability of the services. Registration, personalisation, certification and issuance are organisationally separated tasks. The 'four eyes principle' and/or functional separation is applied to registration tasks.

## 5.2.3 Identification and authentication for each role No stipulation.

#### 5.2.4 Roles requiring separation of duties

ZOVAR maintains functional separation of the implementation, decision-making and verification tasks. In addition, there is functional separation between system management and operation of the TSP systems, as well as between Security Officer(s), TSP Manager(s), Chief Information Security Officer (CISO), System auditor(s), system administrator(s) and TSP operator(s).

#### 5.3 Personnel Controls

#### 5.3.1 Qualifications, experience, and clearance requirements

All employees involved in the services of ZOVAR have the required knowledge and experience in the field of certification services. Employees who are responsible for checking identification documents have the knowledge required to check the authenticity of the documents.

Security tasks and responsibilities, including those for confidential positions, are documented in job descriptions. These have been drawn up on the basis of the separation of tasks and authorities and a specification of the sensitivity of the position. Employee authorisations are granted based on the 'need-to-know' principle. Procedures have been drawn up and implemented for all confidential and administrative tasks which affect the provision of certification services.

## 5.3.2 Background check procedures

Background checks are carried out on all employees involved in certification work. ZOVAR asks all employees involved in registration and identification to submit a certificate of good conduct.

All employees who carry out tasks for ZOVAR are able to take part in training and awareness activities which are relevant for the execution of their task.

## 5.3.3 Training requirements

ZOVAR deploys sufficient personnel who have enough specialist knowledge, experience and qualifications necessary for the TSP services. Managers are fully aware of the nature of the certification services and corresponding quality level.

## 5.3.4 Retraining frequency and requirements

Specific training is obligatory for all personnel. An annually updated training plan is used to monitor training.

## 5.3.5 Job rotation frequency and sequence No stipulation.

#### 5.3.6 Sanctions for unauthorized actions

Any employee that performs an authorised action is immediately denied access to all systems. The TSP management decides on the duration and the conditions of the access denial and any additional actions and sanctions to be taken.

#### 5.3.7 Independent contractor requirements

The aforementioned requirements apply to hired personnel. Personnel are hired on the basis of master contracts.

## 5.3.8 Documentation supplied to personnel

ZOVAR employees will be demonstrably provided with the documentation which is necessary for the proper fulfilment of the task assigned to them.

#### 5.4 Audit Logging Procedures

# 5.4.1 Types of events recorded ZOVAR maintains overviews of:

- Creating accounts.
- Installation of new software or software updates.
- Date and time and other descriptive information concerning backups.
- Date and time of all hardware changes.
- Date and time of audit log dumps.
- Shutting down and (re)starting of systems.
- All registration activities relating to the application and revocation of certificates and any changes to registration details.

## ZOVAR manually or automatically monitors the following events:

- Life cycle events relating to the CA key, including:
  - generating keys, backup, storage, recovery, archiving and destruction;
  - o life cycle events relating to the cryptographic equipment.
- Life cycle events relating to the management of certificates, including:
  - o certificate applications, reissue and revocation;
  - o successful or unsuccessful processing of applications;
  - generating and issuing certificates and CRLs.
- Security incidents, including:
  - successful and unsuccessful attempts to gain access to the system:
  - o PKI and security activities undertaken by personnel;
  - o reading, writing or deleting security-sensitive files or records;
  - changes to the security profile;
  - o system crashes, hardware failure, and other irregularities.

The parts of the loggings contain the following elements:

- Date and time.
- Serial number.
- Author identity.
- Type.

#### 5.4.2 Frequency of processing log

Loggings are investigated randomly and as part of internal quality processes.

#### 5.4.3 Retention period for audit log

The consolidated loggings are kept for a period of at least seven years.

### 5.4.4 Protection of audit log

Events which are included electronically and manually in audit log files are protected against unauthorised perusal, change, deletion or other undesirable changes by means of physical and logical access control resources.

## 5.4.5 Audit log backup procedures

No stipulation.

#### 5.4.6 Audit collection system (internal vs. external)

All audit logs are saved internally on the systems. In addition, logging is archived off-site. The most important log details are also archived each quarter at the CIBG.

## 5.4.7 Notification to event-causing subject

ZOVAR carries out a more detailed investigation if the logging reveals malicious activities.

#### 5.4.8 Vulnerability assessments

At least once a year ZOVAR carries out a risk analysis, which includes a vulnerability analysis. On the basis of the outcomes of these analyses ZOVAR implements suitable measures as necessary.

#### 5.5 Records Archival

#### 5.5.1 Types of records archived

ZOVAR archives all relevant information relating to events, details, files and forms. The following is recorded as a minimum:

- Applications for registration and applications for certification (application forms).
- Documents submitted during the application procedure (including a copy
  of the identity document, excerpt from the Trade Register of the Chamber
  of Commerce).
- Storage location of copies of applications and identity documents.
- Information which is relevant for the identification of a subscriber.
- Information concerning the checks carried out.
- Correspondence relating to registration application or certificate application.
- Proof of date and time of issue of the certificates.
- Information concerning revocation requests of certificates or deletion from the registration.
- Complaints and objections and correspondence received in relation to complaints objections.
- Requests for information received in writing and other correspondence related to the Personal Data Protection Act [Wet bescherming persoonsgegevens] or the Government Information (Public Access) Act [Wet openbaarheid van bestuur].

# 5.5.2 Retention period for archive

All archived events are stored in accordance with chapter 10.4 of the selection list<sup>5</sup>throughout the period of validity of the qualified certificate and for a period of at least seven years after the date on which the validity of the qualified certificate expires.

Alle archived events with regard to the subscription registration are stored for a period of at least seven years from the date on which the subscription registration is deleted.

#### 5.5.3 Protection of Archive

ZOVAR ensures the integrity and accessibility of the archived details. ZOVAR arranges careful and secure storage and archiving.

## 5.5.4 Archiving backup procedures

Incremental backups of the registration system and of digital documents are created on a daily basis. Full backups are carried out on a weekly basis and are also archived at an external location. No backup is made of the paper archive.

# 5.5.5 Requirements for time-stamping of records

<sup>5</sup> Generieke Selectielijst voor de archiefbescheiden van het CIBG Dienst voorregisters vanaf 1995vallend onder het zorgdragerschap van het Ministerie van Volksgezondheid, Welzijn en Sport en Stichting Donorgegevens Kunstmatige Bevruchting vanaf 1995

All information on paper is accompanied by a date and/or a date of receipt.

Electronically stored information is accompanied by an indication of the date and time from the processing system used to perform the action. The processing systems are synchronised in accordance with the Network Time Protocol using a reliable time source based on the atomic clock in Frankfurt.

The date and time of the issue of a certificate is recorded upon issue.

- 5.5.6 Archived collection system (internal or external)
  Electronic archiving takes place at physically separated locations (online data synchronisation). Paper dossiers are stored at a single physical location.
- 5.5.7 Procedures to obtain and verify archive information No stipulation.

#### 5.6 Key Changeover

If the CA starts using a new key pair, the new CA certificates will be made available in the directory and on the website.

#### 5.7 Compromise and Disaster Recovery

 $5.7.1 \quad \text{Incident and compromise handling procedures} \\$ 

ZOVAR has drawn up a calamities plan to minimise the consequences of any calamity that might occur. The Business Management Continuity Plan describes procedures and methods relating to fallback services.

In the event of any compromising of keys, or in the event of calamities, ZOVAR can instigate an investigation, but is not obliged to do so. In the event of compromise of (one of) the private key(s) of ZOVAR, ZOVAR will take the following action as a minimum:

- ZOVAR will inform trusting parties, subscribers and certificate holders as soon as possible by publishing the information on https://www.zovar.nl.
- ZOVAR will inform the subscribers in question via an email sent to the email address provided at registration.
- If such is necessary, ZOVAR will immediately withdraw the certificates in question and publish them on the applicable CRL.
- ZOVAR will immediately inform the PKI Policy Authority for the government, Radiocommunications Agency Netherlands 9 (AT), certifying authority and optionally Dutch Data Protection Authority (AP) in the event of a calamity.

In the event of compromise of one of the algorithms used by ZOVAR, ZOVAR will consult with the Policy Authority of the PKI for the government. In principle ZOVAR will follow the Policy Authority's guidelines. Before proceeding with large-scale revocation as a consequence of a compromise of an algorithm, coordination will take place with the Ministry of Health, Welfare and Sport.

- 5.7.2 Computing resources, software, and/or data are corrupted See section 5.7.1.
- 5.7.3 Entity private key compromise procedures See section 5.7.1.
- 5.7.4 Business continuity capabilities after a disaster See section 5.7.1.

# 5.8 CA or RA Termination

In the event that ZOVAR terminates the certification services, this will be done in accordance with a controlled process as described in more detail in the ZOVAR CA Termination Plan. This termination can be voluntary or involuntary in nature and this will determine the activities to be carried out.

Elements of the plan in the event of termination include:

- Communication with subscribers, trusting parties and other TSPs with which relationships exist or other forms of regular cooperation;
- Decommissioning of the relevant private CA keys;

- The publication service must continue to be active at least six months after termination;
- KPN B.V. will be instructed to perform the destruction of the CA keys on a date yet to be determined. KPN B.V. will submit an official document to the CIBG as proof of the destruction.
- Doc-Direkt will be instructed to destroy the dossiers. In accordance with Doc-Direkt PDC (see Central Government Portal).

# 6. Technical security controls

# 6.1 Key pair generation and installation

#### 6.1.1 Key pair generation

When generating key pairs, ZOVAR uses reliable procedures in a secure environment which complies with objective and internationally recognised standards. The keys of the CAs of ZOVAR were generated in a FIPS 140-2 level 3 certified Hardware Security Module (HSM). The keys of the CAs are 4096 bit RSA. This involves the use of the 'SHA256RSA'.

In the case of user certificates, the subscriber will submit the public key to the RA via a Public Key Certificate Signing request (PKCS#10).

# 6.1.2 Private key delivery to subscriber

The private key is not transferred. The certificate and the certified public key are sent to an email address provided upon application after the certificate manager on behalf of the subscriber has appeared in person.

#### 6.1.3 Public key delivery to certificate issuer

In the case of server certificates, the key pair is generated by the subscriber. The public keys are sent via secured connections in signed messages to the CA for signing.

# 6.1.4 CA public key delivery to relying parties

The public key of the ZOVAR CA has been signed by the Domain CA of the Policy Authority, as a result of which the integrity and origin of the public key is safeguarded. These public keys are made available to trusting parties in the form of CA certificates, via www.zovar.nl.

The State of the Netherlands Private root CA –G1 certificate, the State of the Netherlands Government CA – G1 certificate and the ZOVAR Private Server CA – G1 certificate are available via https://cert.pkioverheid.nl/.

#### 6.1.5 Key sizes

The key length in a server certificate is at least 2048 bit RSA.

# 6.1.6 Public key parameters generation and quality checking Checking ZOVAR generates keys in smart cards or HSMs which comply with the FIPS 140-2 level 3 standard.

# 6.1.7 Key usage purposes (as per X.509 v3 key usage field) The cortificates including the corresponding key pairs

The certificates, including the corresponding key pairs, are exclusively intended for the purposes described in this CPS. The purposes for which a key may be used are included in the certificate (field: Key Usage).

#### 6.2 Private key protection and cryptographic module engineering controls

6.2.1 Cryptographic module standard and controls

For operational use the cryptographic details are stored in a Hardware Security Module (HSM). The HSM fulfils the requirements described in FIPS 140-2 level 3 or higher.

6.2.2 Private key (n out of m) multi-person control

The private keys of the CAs of ZOVAR cannot be read in one go. A backup is made of the private keys of the CAs of ZOVAR. The backup is saved in cryptographic modules in several encrypted parts. The backup can only be used if several parties are present with their section of the key.

6.2.3 Private key escrow

ZOVAR does not take private keys of certificate holders in escrow.

6.2.4 Private key backup

ZOVAR does not make a backup of the private keys of certificate holders.

6.2.5 Private key archival

ZOVAR does not archive any private keys of certificate holders.

- 6.2.6 Private key transfer into or from a cryptographic module

  In the case of private keys saved in a cryptographic hardware module, access security is used which ensures that the keys cannot be used outside the module.
- 6.2.7 Private key storage on cryptographic module
  Private keys are saved securely throughout the entire lifespan.
- 6.2.8 Method of activating private key

The private keys of the CAs of ZOVAR can only be activated by means of a key ceremony and in the presence of the necessary officials. ZOVAR ensures a careful procedure in a secured environment.

6.2.9 Method of deactivating private key

In instances to be determined by ZOVAR, the private keys will be deactivated with due regard for the applicable due diligence procedures.

6.2.10 Method of destroying private key

The private keys with which certificates can be signed, cannot be reused after the end of their life cycle. ZOVAR arranges adequate destruction to ensure that it is impossible to trace the destroyed keys from the remnants.

6.2.11 Cryptographic Module Rating

The Hardware Security Modules used within the ZOVAR systems have been certified in accordance with FIPS 140-2 level 3. As a consequence, cryptographic material cannot be changed during storage, use and transport without this being noticed. The supplier will supply the HSMs in tamper-evident bags so that any form of corruption can be detected. Each consignment is checked immediately after the arrival on the basis of the corresponding out-of-band list.

# 6.3 Other aspects of key pair management

All aspects of the key management are executed by ZOVAR through the application of careful procedures which correspond to the intended purpose.

#### 6.3.1 Public key archival

Public keys are archived by the ZOVAR for at least seven years after the end of the original period of validity of a certificate, in a physically secure environment.

# 6.3.2 Certificate operational periods and key pair usage periods

Table 6 provide an overview of the validity of the key pairs and CA certificates of the Private G1 hierarchy.

| Certificate        | Valid until       |
|--------------------|-------------------|
| Root Certificate   | November 14, 2028 |
| Domain Certificate | November 13, 2028 |
| TSP Certificate    | November 12, 2028 |

Table 5 validity CA Certificaten Public G3/Private G1 hiërarchie

For certificates in the server certificates, a maximum period of three years after the production date is used. The production date is the date on which the Certification Authority (CA) produced and published the certificate.

# 6.4 Activation data

# 6.4.1 Activation data generation and installation ZOVAR only issues server certificates. The subscriber must take suitable

measures in accordance with the obligations in section 4.5.

# 6.4.2 Activation data protection No stipulation.

6.4.3 Other aspects of activation data No stipulation.

# 6.5 Computer Security Controls

# 6.5.1 Specific computer security technical requirements

The registration systems of ZOVAR include suitable checks and security measures. Partly as a result of this it is impossible for a certificate application to be processed by one employee of ZOVAR.

ZOVAR will take adequate measures to safeguard availability, integrity and exclusivity. Computer systems will be secured in a suitable manner against unauthorised access and other threats. ZOVAR has an information security plan which details the measures in question. The measures will be developed into service level agreements with suppliers. Management activities will be logged.

# 6.5.2 Computer security rating

ZOVAR classifies the resources used on the basis of a risk analysis.

# 6.6 Life cycle technical controls

#### 6.6.1 System development controls

ZOVAR does not engage in system development itself. An independent EDP auditor has issued an audit certificate for the systems used on the basis of CWA 14167-1. ZOVAR carries out tests before the systems are put to use. Testing takes place on the basis of test plans drawn up in advance.

#### 6.6.2 Security management controls

ZOVAR has separate test, acceptance and production systems. The transfer of software from one environment to the other takes place in a controlled fashion via a change management procedure. This change management procedure covers, among other things, monitoring and recording of versions, changes and emergency repairs to all operational software.

The integrity of TSP systems and information is protected against viruses, malware and unauthorised software and other possible sources which can lead to a disruption of the services by means of a combination of suitable physical, logical and organisational measures. These measures are preventive, repressive and corrective in nature. Examples of these measures are logging, firewalls, intrusion detection and redundancy of systems, system elements and network components.

System storage media which are used are treated safely in order to protect them from damage, theft and unauthorised access. Storage media are carefully removed whenever they are no longer needed.

The capacity usage is monitored and predictions are done of the capacity required in the future in order to ensure sufficient processing capability and storage capacity in the future.

#### 6.6.3 Life cycle security controls

The security classification is assessed annually and modified as necessary.

#### 6.7 Network security controls

Measures have been implemented for network security in such a way that safeguards the availability, integrity and exclusivity of the details.

Communication about public networks between systems of the TSP takes place in a confidential manner.

The link between the public networks and the networks of ZOVAR is subject to stringent safety measures (up-to-date firewall, virus scanners, proxy).

# 6.8 Timestamping

No stipulation.

# 7. Certificate, CRL and OCSP profiles

# 7.1 Certificate profile

This section provides a general overview of the ZOVAR certificate profile. In particular, the fields that contain relevant data for certificate holders are discussed.

An X.509 certificate consists of a collection of objects. Each object has a name, and each object consists of a number of attributes. An attribute can contain various items such as keys, algorithms, names, etc. A certificate profile describes which objects are used and which values the attributes of these objects can contain.

The basic structure of a certificate consists of a to-be-signed section (tbsCertificate) and a signature of the issuer. The tbsCertificate consists of a number of obligatory basic attributes followed by extensions. The basic attributes and extensions are shown in the following subsections.

#### 7.1.1 Version number(s)

The ZOVAR certificates comply with the X.509 v3 standard and also comply with Part 3h of the Programme of Requirements of the PKI for the Government, (see www.logius.nl);

#### 7.1.2 Certificate Extensions

#### **Basic attributes**

The certificates from ZOVAR have the following basic attributes insofar as they are not described in other sections:

| Field                   | Value  |
|-------------------------|--|
| Certificate.SerialNumbe | Contains the unique serial number of the certificate             |
| r                       |  |
| Validity                | The period of validity of the certificate is set to three years. |

Table 6 Basic attributes of certificate profiles

#### Standard extensions

ZOVAR certificates contain the following standard extensions:

| Field                  | Essential | Value  |  |
|------------------------|-----------|--|--|
| AuthorityKeyIdentifier | No        | KeyIdentifier is set to 160 bit SHA-1 hash of the public key of the CA that issued the certificate.                            |  |
| SubjectKeyIdentifier   | No        | KeyIdentifier is set to 160 bit SHA-1 hash of the public key of the subject.   |  |
| KeyUsage               | Yes       | Contains the DigitalSignature and KeyEncipherment bits.  |  |
| BasicConstraints       | Yes       | The CA bit is set to 'False' and pathLenConstraint to 'none'.  |  |
| CertificatePolicies    | No        | Contains:  • the Object Identifier (OID) for the applicable Certificate Policy of the PKI for the Government (see par. 7.1.6); |  |

| Field   | Essential | Value   |  |
|---|-----------|---|--|
|   |           | <ul> <li>A link to the CPS of ZOVAR (see Table 1);</li> <li>a user text (UserNotice): 'The field of application of this certificate is limited to communication within the Government domain as indicated in the Programme of Requirements of the PKI for the Government. See www.logius.nl'</li> </ul> |  |
| AuthorityInfoAc-<br>cess.accessMethod<br>(OCSP)       | No        | This attribute includes the URL of the OCSP services: http://ocsp.zovar.nl  |  |
| AuthorityInfoAc-<br>cess.accessMethod (CA<br>Issuers) | No        | In this attribute the URL is included to CA certificate of the issuing CA: http://cert.pkioverheid.nl/ZOVAR_Private_Server_CA_G1.cer  |  |
| ExtendedKeyUsage                                      | No        | ZOVAR certificates include the following ExtendedKeyUsages: - ServerAuthenticatie - ClientAuthenticatie   |  |
| SubjectAltName  | No        | In this attribute various members are included in the subjectAltName.otherName, see clarification below.  |  |
| CrlDistributionPoints                                 | No        | Contains the URI where the CRL can be retrieved: http://www.csp.zovar.nl/cdp/zovar_private_server_c a_g1.crl  |  |

Table 7 Standard extensions of certificate profiles

# Clarification SubjectAltName.otherName

This section describes how the subjectAltName.othername is included in the ZOVAR certificates.

PKI government specifies a subjectAltName.othername with an OID-like structure, as follows: <OID CA>-<Subject ID>. The <OID CA> and the <Subject ID> are separated by a '-'.

# Values SubjectAltName.otherName: <OID CA>

The following table shows the values of the <OID CA> in the production environment.

| CA              | OID                       |
|-----------------|---------------------------|
| TSP CA          | 2.16.528.1.1003.1.3.5.5.1 |
| ZOVAR Server CA | 2.16.528.1.1003.1.3.5.5.6 |

Table 8 < OID CA > production environment SHA-2 generation

# <u>Values SubjectAltName.otherName: <Subject ID></u>

The <Subject ID> in ZOVAR is a compound field, consisting of fields separated by a '-':

<Subject ID> = <version-no.>-<subject-no.>-<card type>-<UZOVI-no.>-<recognition>

#### The following table clarifies the fields:

| Field   | Туре | Value | Explanation           |
|---------|------|-------|-----------------------|
| version | 1NUM | 1     | Version number of the |

| Field     | Туре  | Value  | Explanation                                 |
|-----------|-------|--|---|
| no.       |       |  | <subject id=""> specification for</subject> |
|           |       |  | possible future developments.               |
| subject-  | 13NU  | <uzovi number=""><zovar< td=""><td>A unique number for ZOVAR</td></zovar<></uzovi> | A unique number for ZOVAR                   |
| no.       | М     | number>  | server certificate.                         |
| card type | 1CHAR | The following coding is used:  |   |
|           |       | 'V' : Server certificates  |   |
| UZOVI     | 4NUM  | UZOVI number   | The Vektis UZOVI number                     |
| no.       |       |  |   |
| recogniti | 2CHAR | Type of recognition:   | The recognition will, in the first          |
| on        |       | 'ZV': Health insurer   | instance, always the filled in              |
|           |       |  | with 'ZV' because only care                 |
|           |       |  | insurers can be ZOVAR                       |
|           |       |  | subscribers                                 |

Table 9 Fields <Subject ID> in SubjectAltName.otherName

#### Private extensions

The ZOVAR certificate does not contain any private extensions.

# 7.1.3 Cryptographic algorithm object identifiers

The certificates of ZOVAR are signed with the algorithm sha256WithRSAEncryption (Object Identifier 1.2.840.113549.1.1.11).

The certificates contain an RSA key of at least 2048 bits.

# 7.1.4 Name forms

Certificates issued by ZOVAR contain the name of the CA that signs the certificate (issuer) and of the certificate holder (subject) as shown in the following table.

| Field   | Value  |   |
|---------|--|---|
| Issuer  | Contains the name of the CA and is shown by the attributes OrganizationName, CommonName, organizationIdentifier and CountryName. These have the following fixed values:  |   |
|         | OrganizationName organizationIdentifier CommonName CountryName 3166).  | 'CIBG' 'NTRNL-50000535' 'ZOVAR Private Server CA G1' 'NL' (in accordance with ISO   |
| Subject | The name of the subject is shown as a Distinguished Name (DN), and is shown by at least the following attributes: CountryName, CommonName, OrganizationName, StateOrProvinceName, LocalityName and SerialNumber. The attributes which are filled as follows: |   |
|         | CommonName OrganizationName OrganizationalUnitName StateOrProvinceName LocalityName CountryName accordance with  | name of the system. name of the subscriber. optional server department. province of the subscriber. place name of the subscriber. country of the subscriber (in |

| Field | Value        |                               |
|-------|--------------|-------------------------------|
|       | SerialNumber | the UZOVI number directly     |
|       |              | followed by the ZOVAR number. |

#### 7.1.5 Name constraints

For the names in certificates, the preconditions arising from RFC 5280 and the Programme of Requirements PKIoverheid apply.

# 7.1.6 Certificate policy object identifier

For the Certificate Policies (CP) reference is made to www.logius.nl. In order to be able to identify the correct CP, the table below shows the relationship between the certificates, the functions of the certificates, the applicable CP and the Object Identifier (OID) of the CP. The OID CP column contains the Object Identifier that is included in the certificates and that unambiguously refers to the Certification Policy (CP) that applies to the certificate in question.

| Type of certificate    |                                  | Applicable CP   | OID CP                      |
|------------------------|----------------------------------|---|-----------------------------|
| Name                   | Certificate (function)           |   |                             |
| Server<br>(Private G1) | authenticity and confidentiality | PvE deel 3h: Certificate<br>Policy Server Certificaten<br>– Domein Private Services | 2.16.528.1.1003.1.2<br>.8.6 |

Table 10 Overview of certificates with OID of applicable CP

# 7.1.7 Usage of Policy Constraints extension No stipulation.

# 7.1.8 Policy qualifiers syntax and semantics

As indicated in section 7.1.2 the 'CertificatePolicies' extension contains two Policy Qualifiers:

- a link to the ZOVAR CPS (see section 1.2.3);
- UserNotice (see section 7.1.2)

# 7.1.9 Processing semantics for the critical Certificate Policies Extension No stipulation.

# 7.2 CRL profile

The CRL profile is compiled in accordance with section 3h of the Programme of Requirements of the PKI for the government (see www.logius.nl). The profile of the CRL for the certificates contains a number of attributes and extensions. These are shown in the following subsections.

#### 7.2.1 Version number(s)

ZOVAR issues CRLs according to the X.509 version 2 format.

#### 7.2.2 CRL and CRL entry extensions

The CRL for certificates of ZOVAR has the following attributes:

| Field              | Value                     |
|--------------------|---------------------------|
| Version            | 1 (X.509 version 2)       |
| signatureAlgorithm | sha-256 WithRSAEncryption |

| Field               | Value   |  |
|---------------------|---|--|
| Issuer              | Contains the name of the CA and is shown by the attributes      |  |
|                     | OrganizationName, CommonName, organizationIdentifier and        |  |
|                     | CountryName.  |  |
|                     | OrganizationName 'CIBG'   |  |
|                     | organizationIdentifier `NTRNL-50000535'                         |  |
|                     | CommonName'ZOVAR Private Server CA G1'                          |  |
|                     | CountryName 'NL' (in accordance with ISO 3166).                 |  |
| thisUpdate          | Date/time of issue.   |  |
| nextUpdate          | This is the date/time on/at which the validity of the CRL ends. |  |
|                     | The value is 'thisUpdate' plus forty- eight hours.              |  |
|                     | ZOVAR publishes an update of the CRL every hour.                |  |
| revokedCertificates | The revoked certificates per entry:                             |  |
|                     | - certificate serial number                                     |  |
|                     | - date/time of revocation                                       |  |

Table 11 CRL attributes

The CRL for ZOVAR certificates has the following extensions:

| Field                  | Essential | Value   |
|------------------------|-----------|---|
| AuthorityKeyIdentifier | No        | Contains 160 bit SHA-1 hash of the public key of the  |
|                        |           | CA that signed the CRL.                               |
| CRLNumber              | No        | Serial number   |
| ExpiredCertsOnCRL      | No        | Indicates that revoked certificates remain on the CRL |
|                        |           | after the certificate expires in accordance with ETSI |
|                        |           | EN 319 411-2: CSS-6.3.10-05                           |

Table 12 CRL extensions

# 7.3 OCSP profile

## 7.3.1 Version number(s)

The OCSP service of ZOVAR is of the type 'pkix-basic', complies with RFC 6960 and has the following characteristics:

- The OCSP service does not use pre-computed responses.
- All OCSP communication for ZOVAR certificates uses the URL http://ocsp.zovar.nl
- Each CA of ZOVAR that issues user certificates has its own OCSP responder that signs the OCSP responses with its own private key;
- The OCSP responder certificates follow the certificate profile for server certificates wherever possible. Specific deviations in the OCSP responder certificate profiles are:
  - the lack of Subject.StateOrProvinceName, Subject.Locality and Subject.Serialnumber
  - · the lack of the Authority Information Access
  - the lack of the Subject.AltName
  - the subject.CommonName is as follows: 'OCSP responder ZOVAR Private Server CA G1'.
  - the use of KeyUsage=Digital Signature
  - the use of extendedKeyUsage=id-kp-OCSPSigning
  - the use of a so-called ocsp-nocheck extension (Object Identifier 1.3.6.1.5.5.7.48.1.5)

#### 7.3.2 OCSP extensions

The OCSP responses of ZOVAR have the following characteristics:

- a version number of the response syntax;
- an ID of the responder;
- a response for each of the certificates in the request as explained in more detail below;
- the period of validity of the response;
- optional extensions, currently only the OCSP Nonce;
- an OID that indicates the signature algorithm used: sha256WithRSAEncryption;
- a signature of the response;
- the certificate to validate the signature under the response.

For each of the certificates in a request the response contains:

- a certificate identifier;
- the certificate status that has one of the following three values:
  - 'Good'
  - 'Revoked'
  - 'Unknown'

The status 'good' indicates, as a minimum, that the certificate has not been withdrawn, but does not guarantee that the certificate is still valid at that point in time. The 'revoked' status indicates that the certificate has been revoked. The 'unknown' status indicates that the OCSP responder of ZOVAR does not know the status of the certificate. This could occur, for example, if the status of a test certificate is requested from the OCSP responder of the production environment.

# 8. Compliance audit and other assessments

The TSP service of ZOVAR were certified as per 22-11-2004 on the basis of the 'Scheme for certification of Certification Authorities against ETSI TS 102 042 and therefore fulfils the requirements imposed on certification service providers. The certification of CIBG for ETSI 102 042 (policies NCP+, OVCP and PTC-BR) has been followed up by 319 411-1 as of 1 July 2016

A copy of the EN 319 411-1 certificate can be found on the ZOVAR website (see certification policy).

As a Trust Service Provider ZOVAR is registered with the Agentschap Telecom (AT) under registration number 940473, as a verified issuer of qualified certificates to the public and is therefore a certificate service provider within the meaning of the Telecommunications Act.

# 8.1 Frequency or circumstances of assessment

The audit cycle is performed in accordance with the ETSI EN 319 403 certification schedule. ZOVAR undergoes a certification audit once every 2 years. In the interim years a full verification audit is carried out every year. If larger changes are implemented at a policy or technical level, an interim conformity audit can be carried out.

Besides these audits ZOVAR carries out internal audits and self-assessments itself.

# 8.2 Identity/qualifications of assessor

Certification audits and verification audits are performed by an organisation accredited by the Dutch Accreditation Council.

## 8.3 Assessor's relationship to assessed entity

The auditors that perform the audits are independent. Otherwise there is no additional relationship between CIBG as TSP and the certifying body.

#### 8.4 Topics covered by assessment

During the audits an assessment is carried out to determine to what extent the management system for the issuing of certificates permanently fulfils the requirements in the standards ETSI EN 319 411-1 (policies NCP and OVCP), and part 3h of the Programme of Requirements of PKI government.

The audit is performed on the following issues and processes:

- Registration Service;
- Certificate Generation Service;
- Dissemination Service;
- · Revocation Management Service;
- Revocation Status Service
- Subject Device Provision Service.

# 8.5 Actions taken as a result of deficiency

If shortcomings are discovered during the audit, the CIBG draws up, within 3 weeks after receipt of the audit report, an action plan to analyse the observed deviations and take effective corrective measures.

#### 8.6 Communication of results

The conformity certificates of the most recent audits will be available on the ZOVAR website and in the electronic storage location of the Policy Authority of the PKI for the government. The TSP services of the CIBG also comply with the framework of standards of the PKI for the government as stipulated in the Programme of Requirements (see www.logius.nl).

# 9. Other business and legal matters

#### 9.1 Fees

#### 9.1.1 Certificate issuance or renewal fees

The application for the ZOVAR server certificate, by a healthcare insurer registered in ZOVAR (subscriber), is subject to a cost-covering rate. This rate is applicable to both the initial application and the subsequent application, including renewal, of the ZOVAR server certificate. The rates for the ZOVAR server certificate can be found on <a href="https://www.zovar.nl">www.zovar.nl</a>.

No cost are charged for rejected applications.

#### 9.1.2 Certificate access fees

ZOVAR does not charge any fees for certificate access.

# 9.1.3 Revocation or status information access fees

ZOVAR does not charge any fees for revocation or status information access.

# 9.1.4 Fees for other services

No stipulation.

## 9.1.5 Refund Policy

In accordance to Article 6, lid 3 of the Regulation on the Use of the Citizen Service Number in Healthcare [Regeling gebruik burgerservicenummer in de zorg], restitution of paid fees is not possible, unless in the opinion of the Minister of Health, Welfare and Sport there is a circumstance that cannot be attributed to the person for the benefit of who produced the pass or certificate

#### 9.1.6 Rate changes

The rate for the ZOVAR server certificate may change periodically. If the rate is changed, the Regulation on the Use of the Citizen Service Number in Healthcare [Regeling gebruik burgerservicenummer in de zorg] will be changed accordingly and notification of this change will be given on www.zovar.nl.

# 9.1.7 Invoicing and payment

Three weeks after the production date of the ZOVAR Certificate, the subscriber will receive a related invoice at the postal address registered with ZOVAR. In addition, the invoice will be sent in digital form to the applicant's email address.

ZOVAR has outsourced the invoicing activities to Cannock Outsourcing B.V. The invoice will be sent out on the basis of the details issued to Cannock Outsourcing B.V., such as the postal address of the subscriber and the email address of the card applicant. ZOVAR will not honour a request for a modification to an invoice.

The card applicant is responsible for choosing the right ZOVAR certificate. If the card applicant applies for a certificate which turns out to be incorrect, for example due to a wrong PKCS#10 file, the full costs will be charged.

#### 9.1.8 Payment term

The payment term after invoicing is thirty days. In the event of late payment, ZOVAR is entitled to instigate collection measures and/or engage a third party to collect the claim. In the event of late payment the ZOVAR certificate will be withdrawn by ZOVAR. The revocation of the ZOVAR certificate will take place six weeks after the reminder has been sent.

#### 9.1.9 Validity of ZOVAR server certificate

In accordance to Article 7 of the Regulation on the Use of the Citizen Service Number in Healthcare [Regeling gebruik burgerservicenummer in de zorg the period of validity of a ZOVAR server certificate is three years after the production date.

#### 9.1.10 Delivery and initial usage of ZOVAR server certificate

The Zovar server certificate is delivered in accordance with the technical and/or functional specifications referred to in the Certification Practice Statement (CPS). The subscriber will start using the ZOVAR server certificate within three months after its receipt. If it transpires, upon initial usage, that the Zovar server certificate is not functioning optimally, the subscriber or its authorised representative will immediately inform the ZOVAR to this effect.

#### 9.1.11 Replacement conditions

If the ZOVAR server certificate does not work in accordance with the technical and/or functional specifications described in the CPS, ZOVAR will replace this certificate free of charge during the first three months after transfer of the ZOVAR server certificate.

#### 9.1.12 Risk, ownership and duty of care

The risk of destruction, loss or theft, damage or deterioration of the Zovar server certificate transfers to the subscriber at the moment of receipt of the Zovar server certificate. The subscriber is not entitled to make any changes to the Zovar server certificate. The issued ZOVAR server certificate will continue to be owned by ZOVAR. ZOVAR is authorised to withdraw the use of the ZOVAR-server certificate by a subscriber. Zovar server certificates cannot be transferred to third parties. The subscriber or its authorised representative must ensure that the Zovar server certificate is used and stored in a careful, safe and prudent manner.

#### 9.2 Financial Responsibility

## 9.2.1 Insurance coverage

As a government organization, the CIBG cannot take out insurance and is therefore its own risk bearer. Agreements have been made with the ministry on risk policy. In the present cases, in cases of damage claims, the CIBG is liable to the maximum of its own (limited by agency regulations) assets. In addition, the Ministry (ie the owner / client) takes over the liability.

#### 9.2.2 Other assets

No stipulation.

# 9.2.3 Insurance or warranty coverage for end-entities No stipulation.

### 9.3 Confidentiality of Business Information

#### 9.3.1 Scope of confidential information

On the basis of the Government Information (Public Access) Act [Wet openbaarheid van bestuur] (Wob) anyone can ask ZOVAR to submit documents relating to a governmental matter.

If ZOVAR outsources work to third parties, this work will be carried out under the responsibility of ZOVAR. The agreements between third parties and ZOVAR have been laid down in contracts.

9.3.2 Information not within the scope of confidential information No stipulation.

# 9.3.3 Responsibility to protect confidential information

If the issuing of documents or details could harm the services of ZOVAR, the purchasers of its services, or of one of the third parties engaged by ZOVAR, these will not be made available to others, except those parties that have to have access to those documents in connection with their work. Examples of such documents are those that contain company-sensitive information in relation to infrastructure, security and finances.

#### 9.4 Privacy of Personal Information

#### 9.4.1 Privacy plan

A record will be kept of all activities carried out which are important in the registration process. During the process as few personal details will be recorded as possible. In any event no (personal) details will be recorded which are not important for the registration process or for one of the facilitating services of ZOVAR.

The certificate managers are entitled to meet and correct their personal details.

#### 9.4.2 Information treated as private

The information obtained by ZOVAR about a person, being a natural person or legal entity, will be treated as confidential. The requirements imposed in the General data protection [Algemene verordening gegevensbescherming] (AVG) are explicitly applicable to this. The following documents, at least, contain information which is regarded as confidential and will therefore, in principle, not be issued to third parties:

- information relating to the registration and certification of parties;
- agreements with suppliers and service providers;
- · security procedures and measures;
- Administrative Organisation (AO) procedures;
- audit reports.

# 9.4.3 Information not deemed private

The published details of certificates can only be publicly consulted using the search function on the website. The information issued in relation to published and withdrawn certificates is limited to that referred to in chapter 7 'Certificate, CRL and OCSP profiles' of this CPS.

Information in relation to revocation of certificates is available via the CRL.

The information provided there relates only to the certificate number, the moment of revocation and the status (valid/withdrawn) of the certificate.

- 9.4.4 Responsibility to protect private information CIBG has the responsibility to protect private information.
- 9.4.5 Notice and consent to use private information

  Confidential details will only be issued in order to provide proof to parties
  other than the subscriber or certificate holder, on the basis of the prior written
  permission of the subscriber or the certificate holder.
- 9.4.6 Disclosure pursuant to judicial or administrative process
  If, within the framework of a criminal or disciplinary law investigation, nonpublic information is requested from ZOVAR by an authorised investigating
  officer, this information will be released by the director of the CIBG, after
  submission of a legal summons. The requirements imposed in the AVG are
  explicitly applicable to this.

If a subscriber requests non-public information from ZOVAR in a civil procedure for the purposes of proof of certification, this information will be released by the director of the CIBG if, in the opinion of the latter, there is no substantial interest that stands in the way of the data issue referred to. If data is going to be issued, the party in question will be informed accordingly.

Confidential details will only be issued in order to provide proof to parties other than the subscriber, on the basis of the prior written permission of the subscriber.

9.4.7 Other information disclosure circumstances

Notwithstanding the above, no details belonging to certificate holders will be released to third parties, unless this is necessary on the basis of legislation and regulations or if the subscribers have given their explicit permission.

# 9.5 Intellectual Property rights

This CPS is owned by ZOVAR. Unchanged copies of this CPS may be distributed and published without permission provided the sources are mentioned.

The certificates issued by ZOVAR will continue to be owned by ZOVAR. All intellectual property rights related to the certificates, including the rights relating to software, databases and logos are vested in ZOVAR. The rights cannot be transferred to third parties.

ZOVAR guarantees vis-à-vis its subscribers that the certificates it has issued, including the corresponding and delivered documentation, do not violate intellectual property rights, including copyrights, brand rights and used software which are vested in its suppliers.

# 9.6 Representations and Warranties

9.6.1 CA representations and warranties

With the introduction of the Online Administrative Business Act [Wet elektronisch bestuurlijk verkeer] the legislator has stipulated that with regard to liability a link has to be sought with the liability provisions in electronic

legal transactions, in particular the liability of the certificate service provider that issues qualified certificates as laid down in Book 6 of the Dutch Civil Code.

In its capacity of certificate service provider the CIBG is liable for damage suffered by natural persons or legal entities, that reasonably trust an issued ZOVAR certificate and act on the grounds thereof, in conjunction with the accuracy, at the time of issue, of all details included in the certificate and the inclusion of all details prescribed for this certificate.

The CIBG can be held liable if it fails to register revocation of a ZOVAR certificate, including the updating and publishing of the CRL, and a person has acted accordingly in reasonable trust.

The CIBG cannot be held liable, on the basis of the above grounds, if it can submit proof that ZOVAR has not acted carelessly.

ZOVAR excludes all liability for damage if the certificate is not used in accordance with the certificate usage described in section 1.4.

ZOVAR guarantees that procedures have been set up and measures implemented so that this CPS is complied with.

ZOVAR does not accept any liability vis-à-vis the trusting party for damage it suffers, in whatever form, apart from exceptions referred to below:

- ZOVAR is, in principle, liable in those instances in which a trusting party suffers damage, pursuant to sections 1 to 3 inclusive of Article 6:196b of the Dutch Civil Code, on the understanding that:
  - the phrase 'a qualified certificate as referred to in Article
     1.1. section ss of the Telecommunications Act' is read as 'an authenticity certificate';
  - the word 'signatory' is read as 'certificate holder';
  - the term 'electronic signatures' is read as 'authenticity characteristics'.
- ZOVAR is, in principle, liable in those instances in which a trusting party suffers damage, pursuant to sections 1 to 3 inclusive of Article 6:196b of the Dutch Civil Code, on the understanding that:
  - the phrase 'a qualified certificate as referred to in Article 1.1. section ss of the Telecommunications Act' is read as 'a confidentiality certificate';
  - the word 'signatory' is read as 'certificate holder';
  - the phrase 'generating electronic signatures' is read as 'generating encrypted data';
  - the phrase 'verifying electronic signatures' is read as 'deciphering encrypted data'.
- 9.6.2 RA representations and warranties See section 9.6.1.
- 9.6.3 Subscriber representations and warranties Subscribers and certificate holders are obliged to observe the stipulations of ZOVAR in relation to the purchase of certification services as laid down in the

CPS. They must also observe instructions communicated to them by ZOVAR when the certificates are issued and/or made known to them at a later point in time.

If subscribers of certificate holders do not comply with the stipulations, this may result in damage for the ZOVAR, the subscriber, certificate holders or third parties. In such instances the subscriber will, in principle, be held liable for not complying with the stipulations. The following stipulations are supplementary to section 4.5.1 of this CPS.

- The subscriber will only and exclusively purchase certification services from ZOVAR for its systems, databases.
- The subscriber guarantees that it is legally authorised to bind the
  organisation to ZOVAR. In addition, the subscriber can designate one or
  more representatives, referred to as the applicant/certificate manager(s),
  for whom the subscriber will have final responsibility. This
  applicant/certificate manager(s) will be charged, on behalf of the
  subscriber, with the actual execution of the applications for and revocation
  of ZOVAR certificates in accordance with the procedures of the CPS. If the
  subscriber registration of (the organisation of) the subscriber is to be
  deleted, only the subscriber will be authorised to do so.
- The subscriber is always responsible for the choice and (physical) protection of its software, equipment and telecommunications facilities and the availability of its information and communication systems, with which it can set up the electronic communication within the organisation. For example, the subscriber will take suitable measures to protect its system against viruses and other software with inappropriate elements.
- The subscriber will issue correct, full and up-to-date details to ZOVAR, including details of the systems for the generation and issue of certificates. The subscriber will report changes in address, organisation, organisation name, positions, contact persons or personal details of the subscriber or other relevant changes, to ZOVAR no later than 24 hours after the change in question has occurred.
- The subscriber is obliged to set up and execute a procedure on the basis
  of which the subscriber or the applicant/certificate manager(s) can check
  whether the system of database for which a server certificate is being
  applied for is actually used for the organisation.
- The subscriber and certificate holder cannot transfer rights and obligations resulting from the relationship with ZOVAR to third parties, unless determined otherwise by ZOVAR.
- The subscriber will himself ensure timely replacement close to the end of the period of validity, and an emergency replacement in the event of compromise and/or other types of calamities relating to the certificate or master certificates. The subscriber is expected to take adequate measures to ensure the continuity of certificate use.<sup>6</sup>

The above obligations for the subscriber will, insofar as they can be designated as too uncertain, be developed in more detail in ZOVAR guidelines and/or more detailed regulations.

9.6.4 Relying party representations and warranties
 No stipulation.

<sup>6</sup> In the event of calamities at ZOVAR, the Ministry of Health, Welfare and Sport will take adequate measures.

9.6.5 Representations and warranties of other participants
For representations and warranties of certificate holders see section 9.6.3

#### 9.7 Disclaimers of Warranties.

In the event of system defects, service activities, or factors outside the control of ZOVAR, ZOVAR will do all it possibly can to ensure that the services can be reached again as quickly as possible. The publication service will be available again by no later than within 24 hours. With this in mind a fallback scenario has been designed which is regularly tested. ZOVAR is not responsible for the non-availability of the services due to natural disasters or other circumstances for which ZOVAR cannot be held responsible.

## 9.8 Limitations of liability

ZOVAR accepts no liability for damage that occurs in conjunction with natural persons or legal entities in the event of:

- Damage if the certificate is not used in accordance with the described field of application.
- Damage which results from use of the certificate whereby the restrictions indicated on the certificate are violated.
- Damage as a consequence of non-attributable failures in the fulfilment (force majeure), including among other things delay and defects in the execution of work which can be attributed to non-technical malfunctions, such as transmission errors, equipment and system software malfunctions, defects in the equipment and software, intent, which includes fraud, illegal use of software, sabotage, theft of details and operating mistakes by third parties, errors by third parties resulting in network failure, a power cut, fire, lightning strike, substantial water damage, a break in the telephone cable, war-related violence, acts of terror, natural disasters and, more generally, causes which do not concern the reasonable care taken by ZOVAR.
- Damage which arises due to subscribers, certificate holders and/or trusting parties not fulfilling the obligations described in this CPS.
- Damage as a consequence of misuse, loss, theft or other disappearance of the certificate, revocation code and the private key.
- Damage which arises due to the issue of a certificate on the grounds of incorrect information provided by the subscriber, insofar as ZOVAR could not, on the basis of the procedures and checks referred to in this CPS, reasonably have discovered that the information was incorrect.
- Damage as a consequence of the use of a certificate after the time of revocation of the certificate and publication on the CRL.
- Damage as a consequence of errors caused by the transfer of details by the subscriber, the software, the equipment or telecommunication facilities used by the subscriber.
- Damage as a consequence of a defect and/or incorrect information in the sent message or in the sending or receipt thereof, which leads to serious damage such as physical injury, death or environmental damage, including but not limited to damage within the framework of using medical applications.
- Damage caused by the courier company performing the identification of the certificate manager outside the agreed time window.

Damage caused by the courier company having been unable to carry out the correct identification of the certificate manager/holder due to the actions of the certificate manager / holder.

Insofar as the interests involved in the trust are disproportional compared to

the level of reliability offered by the certificate, the trusting party will be regarded as not having trusted the certificate reasonably, even if the trusting party has fulfilled all other obligations.

#### 9.9 Indemnities

Compensation will be available only if it can be irrefutably established that ZOVAR can be held liable for the damage suffered.

#### 9.10 Term and Termination

#### 9.10.1 Term

The CPS is valid as from the date of publication on the website www.zovar.nl. The CPS is valid as long as the services of ZOVAR continue, or until the CPS is replaced by a newer version. Newer versions will be designated by a higher version number (vX.x). In the event of drastic changes, the version number will be increased by 1. In the event of editorial changes, the version number will be increased by 0.1. Newer versions are to be published on the website of ZOVAR.

#### 9.10.2 Termination

If one or more stipulations of this CPS are declared inapplicable by legal judgement or otherwise, this will not affect the validity and applicability of all other stipulations. In that case the parties will be bound by a stipulation with the same purport, wherever possible, which cannot be rendered invalid.

# 9.10.3 Effect of termination and survival No stipulation.

# **9.11** Individual Notices and Communications with Participants No stipulation.

#### 9.12 Amendments

# 9.12.1 Procedure for Amendment

The effect of the applicable CPS will be assessed and updated by ZOVAR at least annually. Changes apply as of the moment that the new CPS is published and reported to the Policy Authority. The management of the CIBG is responsible for correct compliance with the procedure as described in section 9.12 and for the eventual approval of the CPS in accordance with this procedure.

# 9.12.2 Notification mechanism and period No stipulation.

# 9.12.3 Circumstances under which OID must be changed No stipulation.

#### 9.12.4 Change and classification requests

Subscribers, certificate holders, trusting parties and any other interested parties can submit a written change request supported by arguments. ZOVAR can itself submit a change request, for example as a result of an internal review or audit, a change to the Programme of Requirements of the PKI for the government, changing legislation or suchlike. All change proposals are to be directly recorded. The party submitting the request will be sent a

confirmation of receipt.

The management and staff will classify the change requests. Where necessary, specialist legal or technical knowledge will also be applied. In the event of classification the urgency of the change request will also be determined. Changes to the CPS will be implemented in batches wherever possible.

## 9.12.5 Publication of changes

ZOVAR publishes the CPS on the website: www.zovar.nl. In addition, the CPS can be requested using the contact information referred to in section 1.5.1 'Contact details'. This application can only be made in writing.

#### 9.13 Dispute Resolution Provisions

If a conflict arises regarding the interpretation of the stipulations of this CPS, the CPS will indicate the interpretation of the ZOVAR stipulations. This interpretation must take account of the general objective of ZOVAR. If this clarification does not produce a satisfactory result for the party/parties involved, the conflict will be submitted to a conflict mediator who is acceptable to all parties involved before any other judicial or extrajudicial steps are taken. Agreements about the financing of this conflict mediation will be made at that point in time. If the above does not lead to a settlement of the dispute, it will be submitted exclusively to the competent court in The Hague.

In the event of complaints concerning services delivered by ZOVAR, the complaint must be submitted in writing to the CIBG, for the attention of the cluster head responsible for ZOVAR, stating the reference 'Complaint'. ZOVAR will then process the complaint in accordance with the CIBG complaints procedure, as stipulated in chapter 9 of the General Administrative Law Act [Algemene wet bestuursrecht] (Awb).

If a conflict arises between two purchasers of services offered by ZOVAR, the cluster head of ZOVAR can mediate, or designate an independent mediator, if the parties cannot reach agreement on the basis of mutual consultation.

# 9.14 Governing Law

The services of ZOVAR and this CPS are subject to Dutch law.

# 9.15 Compliance with Applicable Law

As the implementing body of the services of ZOVAR the CIBG is a certificate service provider within the meaning of the Telecommunications Act. As a result it is bound by all European and national legislation and regulations which is related to its capacity of TSP and the services that it delivers. The CIBG is an administrative body within the meaning of the Awb.

# 9.16 Miscellaneous Provisions

If one or more stipulations of the CPS are declared inapplicable by legal judgement or otherwise, this will not affect the validity and applicability of all other stipulations.

# 9.16.1 Entire agreement No stipulation.

- 9.16.2 Assignment No stipulation.
- 9.16.3 Severability No stipulation.
- 9.16.4 Enforcement (attorneys' fees and waiver of rights) No stipulation.
- 9.16.5 Force Majeure No stipulation.

# Annex 1: Definitions and abbreviations

The definitions of the terms used were drawn up on the basis of the following points of departure:

- In a number of cases, a decision was taken to use the English terms. The
  reason for this is that, often, there is no correct Dutch translation for the
  English term in question. If a Dutch term is used alongside an English
  term with the same meaning, both terms will be included in the list (the
  most usual term is included in the list followed immediately by the
  translation in italics).
- In the case of 'PKI terms' (PKI = Public Key Infrastructure), the terms will link up wherever possible with the general definitions used by the PKI for the government and in the specialist literature on this issue.

The glossary consists of three columns: Abbreviation, Term and Definition. The terms are arranged alphabetically based on the 'Term' column. In a number of cases clarification is provided immediately after the definition and, if applicable, the source of the information with an empty line in between.

| Abbreviatio<br>n | Term   | Definition   |
|------------------|--|--|
|                  | Subscriber   | Healthcare insurer of healthcare administration office in accordance with the definition used by ZOVAR, which purchases certificate services from ZOVAR. The subscriber is the party on whose behalf a server/service acts when using a certificate. The name and the subscriber number of the subscriber are stated in the certificate. |
|                  | Surname  | The surname is the (correspondence) name as used on a daily basis by the person.   |
|                  | Asymmetric key<br>pair   | A public and private key which are linked to each other mathematically in such a way that, in a cryptographic calculation, they are each other's counterpart.  |
|                  |  | See also 'Private key' and 'Public key'.   |
| AT               | Radiocommunicat<br>ions Agency<br>Netherlands<br>[Agentschap<br>Telecom] | Radiocommunications Agency Netherlands is both the implementing body and the regulator of legislation and regulations in the field of telecommunications,  |
|                  |  | Source: www.agentschaptelecom.nl   |
|                  | Authentication   | The process whereby someone's identity can be confirmed or with which the integrity and origin of submitted details can be verified.   |
|                  |  | See also 'Authentication certificate', 'Authorisation' and 'Identification'.   |
|                  | Authentication certificate   | A certificate that should exclusively be used for authentication - or electronic identification.   |
|                  | Authorisation  | Granting someone the authority to carry out certain activities (examples of activities: inspecting, modifying or processing details).  |

| A bbreviatio | Term   | Definition  |
|--------------|--|---|
| AP           | Authority<br>personal data<br>(autoriteit<br>persoonsgegeven<br>s)             | The AP makes sure that personal details are used carefully and are protected and that privacy is also guaranteed in the future.   |
| AVG          | General data protection regulation [Verordening algemene gegevensbescher ming. | The General Data Protection Regulation (AVG) has been applicable since 25 May 2018. This regulation ensures that the same privacy legislation applies throughout  |
|              | BSN services   | Citizen Service Number (BSN) services include:  the requesting and verifying of a citizen service number,  the requesting of personal details  the Compulsory Identification Act [Wet op de identificatieplicht] (WID) check.   |
| BSN          | Citizen service<br>number  | The unique identifying number allocated to a natural person pursuant to the Citizen Service Number [General Provisions] Act [Wet algemene bepalingen burgerservice nummer].   |
|              | CA certificate   | A certificate from a Certification Authority that contains, among other things, the public key and has been issued and signed by a higher CA.   |
| CIBG         | CIBG   | The CIBG is an implementing body of the Ministry of Health, Welfare and Sport, that is charged with a number of legal implementation tasks.  See also: <a href="https://www.cibg.nl">www.cibg.nl</a>  |
|              | Certificate  | Electronic confirmation which links details for the verification of a certain person with details concerning the confidentiality and authenticity and/or electronic signature and therefore confirms the person's identity.   |
|              |  | A certificate is encrypted with the private key of the Certification Authority which has issued the public key, whereby the certificate cannot be falsified.  A certificate contains at least:  the identification and the country of establishment of the issuing certificate service provider;  the name of the signatory;  the statement of the times at which the period of validity of the certificate starts and ends;  the identity code of the certificate;  any restrictions concerning the use of the certificate, and  any limits relating to the value of transactions for which the certificate can be used. |
|              | Certificate holder   | A natural person or legal entity on whose behalf a certificate has been issued and whose identity can be established using the certificate. In the case of server certificates the certificate holder will be a machine or server.  |

| A bbreviatio | Term  | Definition  |
|--------------|---|---|
|              | Certificate<br>manager                                    | The role of certificate management is only important for products whereby the certificate holder is a system or a group/position, in other words for server certificates. In the case of these products, ZOVAR has opted for the applicant of these products to act as certificate manager as well, on behalf of a subscriber.            |
|              | Certificate profile                                       | A description of the content of a certificate. Each type of certificate (signature, confidentiality, etc.) has its own content and, with that, its own description. This contains, for example, agreements regarding names, etc.  |
| СР           | Certificate Policy - certification- policy                | A document with a collection of requirements referred to that indicates the frameworks within which ZOVAR issues certificates. The CP is drawn up by the Policy Authority of the PKI for the Government. By using, among other things, the CP, certificate holders and trusting parties can determine how much trust they place in ZOVAR. |
| CRL          | Certificate Revocation List - certificate revocation list | A list of withdrawn (= revoked) certificates.  This list can be accessed and consulted by the general public. The list is made available by and under the responsibility of ZOVAR. The CRL is itself also electronically signed by the CA of ZOVAR.   |
|              | Certification services                                    | The issuing, managing and revocation of certificates by certification service providers, as well as other services related to the use of electronic signatures, identity and confidentiality.   |
| CA           | Certification<br>Authority                                | The part of ZOVAR that arranges the signing of the certificates and that is trusted by end users.   |
| CPS          | Certification<br>Practice<br>Statement                    | A document that describes the procedures pursued, and the measures taken, by the CIBG regarding all aspects of the services.  The CPS describes how ZOVAR fulfils the requirements stipulated in the Certificate Policy (CP).   |
|              | Compromise  | Any violation of the trust in the exclusive use of a component by authorised persons.  Within the framework of the PKI for the  |
|              |   | government, the term component usually means the private key. A key is regarded as compromised in the event of:  • Unauthorised access or suspected unauthorised access;  • Lost or presumably lost private key or bearer;  • Stolen or presumably stolen private key or bearer;  • Destroyed private key or bearer.                      |
|              | Directory service   | A compromise constitutes a reason for placing a certificate on the Certificate Revocation List.  The directory service is a service of ZOVAR which is intended to make issued certificates available and  |
|              |   | accessible on the Internet.   |

| A bbreviatio | Term   | Definition  |
|--------------|--|---|
|              | Electronic identity                                      | A unique electronic representation of an identity, for example in the form of a X.500 Distinguished Name structure.   |
|              |  | These electronic details are added to, or linked in a logical way with, other electronic details. They act as a unique characteristic of the owner's identity.  |
|              | Escrow<br>(Key Escrow)                                   | 'Key guarantee'. A method for storing a copy of a private key which is given to a trusted third party to keep, referred to as a 'Key Escrow Agency' (KEA).  |
| ETSI         | European<br>Telecommunicatio<br>n Standards<br>Institute | The ETSI is an independent institute in the field of telecommunications standardisation.  |
|              | Birth name   | The birth name is the name as included in the passport or identity document (also known as maiden name or family name).   |
|              | Authorised<br>applicant                                  | A person who is authorised by the legal representative of the subscriber to submit applications for the issue of certificates on behalf of the subscriber.  |
| HSM          | Hardware<br>Security Module                              | A resource that contains the private key(s) of systems, protects this/these key(s) against compromise and executes electronic signature, authentication or decryption on behalf of the system.          |
|              | Hierarchy  | A chain of authority of mutually trusting<br>Certification Authorities (CA).  |
|              | Identification   | The process whereby the identity of a person or business is established.  |
|              | Proof of identity or identity document                   | A document as referred to in the Compulsory Identification Act (WID) used to establish the identity of a natural person.  |
|              | Integrity  | The certainty that details are complete and unchanged.  |
| ISO          | International<br>Organization for<br>Standardization.    | Organisation that issues a number of standards and guidelines for quality management systems orientated around the quality of the main process of an organisation.                                      |
|              |  | The ISO standards and guidelines are internationally accepted and are revised every five years.   |
|              | Revocation code  | Code with which the certificate holder can submit and authorise a revocation request for certificates.  |
|              | Private key  | See 'Private key'.  |
| PA           | Policy Authority   | Authority under the responsibility of the Minister of<br>the Interior and Kingdom Relations which<br>determines the certification policy (CP/Certificate<br>Policy) of ZOVAR.<br>See also www.logius.nl |
|              | Private key  | The key of an asymmetric key pair which only has to be known to its holder and must be kept strictly secret. Sometimes the terms secret or personal key are used.                                       |
|              |  | See also: 'asymmetric key pair' and 'public key'.   |

| A bbreviatio | Term  | Definition  |
|--------------|---|---|
| PKI          | Public Key<br>Infrastructure                                  | A combination of architecture, technology, organisation, procedures and rules based on asymmetric key pairs.  |
|              |   | The purpose is to facilitate reliable electronic communication and reliable electronic services.  |
|              | Public key  | The key of an asymmetric key pair which can be made public. Sometimes the term public key is used.  |
|              |   | See also: 'asymmetric key pair' and 'personal key'.   |
| RA           | Registration<br>Authority                                     | The part of ZOVAR that carries out the registration work in order to process the certificate applications.  |
|              | Revocation  | Revocation concerns making a certificate invalid (revocation).  |
|              |   | A certificate is revoked by placing the serial number of the certificate on the Certificate Revocation List (CRL) (revocation = rescind/withdraw).  |
|              | Root CA   | The highest point of trust in the hierarchy of a Public Key Infrastructure (PKI).   |
|              | Key(s)  | See respectively:  • Asymmetric key pair • Private key • Public key   |
|              | Key pair  | See also asymmetric key pair.   |
|              | Server certificate  | A certificate with which a service or device, for example a server is linked to a legal entity or other organisation. In the case of a server the certificate is submitted to a browser which seeks access to the server. In this way, a trusting party can be certain regarding the identity of the server's owner. A server certificate is not a qualified certificate.   |
|              | Root certificate  | This is the certificate belonging to the place where the trust in all PKI for the government issued certificates originated. There is no higher CA from which the trust is derived. This certificate is signed by the holder, the party responsible for policy at the highest point of trust. All underlying certificates are issued by the holder of the root certificate. |
| TSP          | Trusted Service<br>Provider<br>certificatiedienst<br>verlener | A natural person or legal entity that issues the certificates and/or provides other services connected to the electronic signatures, including identity and confidentiality within the meaning of Article 1.1 under tt of the Telecommunications Act.   |
| UZOVI        | Insurance<br>Company<br>Identification                        | The address details and the unique UZOVI number are registered and maintained in the UZOVI register. Since 1 January 2006 the register has contained the details of the care insurers, authorised insurance intermediaries, healthcare administration offices, label organisations and branches.  |
|              | Confidentiality   | The guarantee that details are actually and exclusively available to the party to whom they are intended, without anybody else being able to decipher them. Outside the private sector, the term exclusivity is also used.  |

| Abbreviatio<br>n   | Term  | Definition  |
|--|---|---|
|  | Confidentiality certificate   | A certificate that belongs with the key pair that has to be used in confidentiality applications.   |
|  | Trusting party  | The natural person or legal entity that is the recipient of a certificate and that acts in trust on the basis of that certificate.  |
|  | Legal<br>representative   | The person who, in accordance with the excerpt from the Chamber of Commerce or document of establishment, is authorised to bind the organisation legally to ZOVAR.  |
| Wet<br>aanvullende<br>Bepalingen<br>verwerking<br>Persoonsgeg<br>evens in de<br>Zorg | Use of Citizen<br>Service Number<br>in Healthcare Act<br>[Act Additional<br>provisions for the<br>processing of<br>personal data in<br>the care | The Use of Citizen Service Number in Healthcare Act regulates that the citizen service number is used in the care sector. The citizen service number has to be used in the care sector in order to determine unequivocally which details belong with which client.  |
| WID  | Compulsory<br>Identification Act<br>[Wet op de<br>identificatieplicht]  | The Compulsory Identification Act refers to the passport and identity card as valid means of identification.  A number of documents are regarded as equivalent to the passport and identity card, namely a driving licence, diplomatic passport, service or official passport, travel document for refugees or foreign nationals and other travel documents stipulated by the Minister, such as the Dutch identity card. The emergency passport and the laissez passer are not valid means of identification. |
| X.509  | X.509   | This is an electronic certificate that is compiled in accordance with a standardised structure.   |
|  | Healthcare<br>administration<br>office  | A WIz implementing body designated for certain region pursuant to <u>the second section of Article 4.2.4</u> ;  |

| Abbreviatio<br>n | Term           | Definition  |
|------------------|----------------|---|
|                  | Health insurer | This means:   |
|                  |                | 1°. WIz implementing body as referred to in Article 1.1.1 of the Long-Term Care Act [Wet langdurige zorg] (WIZ);  |
|                  |                | <b>2°.</b> healthcare insurer as referred to in <u>Article 1,</u> under b, of the <u>Healthcare Insurance Act</u> ;   |
|                  |                | <b>3°.</b> insurance company as referred to in the Solvency II Directive insofar as this company offers or implements insurance policies pursuant to which the insured risk is the need for care to which, by virtue of or pursuant to the Long-Term Care Act, no entitlement exists and whereby the insured performance exceeds that arranged by virtue of or pursuant to the <a href="Healthcare Insurance Act">Healthcare Insurance Act</a> ;  |
|                  |                | Solvency II Directive 2009/138/EC is the new, risk-based supervision framework for insurers that came into effect on 1 January 2016. The primary purpose of the framework is to protect the interests of policyholders. This is achieved via quantitative capital requirements, qualitative requirements on the quality of operations and transparency to the public and the regulator. Solvency II does not apply to funeral expenses and benefits in kind insurers and most small insurers. |